


## the famous

#### S-K WAYNE RATCHET





### Owned by 7 out of 10 professional mechanics.

S-K Ratchets are positive, close-acting — an invaluable asset in tight work areas. Three teeth of the pawl are engaged at all times while ratchet is in use. Operating in an arc of from 5.1° to 9°, S-K Wayne Ratchets have very little or no back movement. (See Fig. A.)

Conventional ratchets are designed on the principle of a shearing action. Because of tendency to break or shear off, teeth on the drive gear must be large, limiting the number of teeth and positions. Operating in an arc of from 10° to 20°, such ratchets have a 5° to 10° back movement. (See Fig. B.)

SIMPLIFIED MAINTENANCE. To increase the life of S-K Ratchets, it is advisable to periodically remove the operating mechanism, following simple steps illustrated below, and wash out accumulated grease and grit in a cleaning solvent. No lubrication is needed to assure proper performance.



TO REMOVE MECH-ANISM, place ratchet in neutral position.



Compress snap ring with screwdriver, thin or bent-nose plier.



With snap ring compressed, strike back of ratchet on solid surface.



TO REPLACE MECH-ANISM, set it in neutral position.



Insert unit in handle, holding cap in place. Put snap ring in position.



Compress snap ring with thin or bent-nose plier and seat unit in handle.

#### CONTENTS



Socket Sets		
1/4" Drive		
3/8" Drive		
½" Drive		
3/4" Drive		
Combination Sets		
Metric Wrenches, Sockets & Sets		.10
Sockets, Handles & Attachments		
1/4" Drive		.11
3/8" Drive		
½" Drive		
3/4" Drive		.15
Alloy Wrenches		
Combination Wrench Sets		
Box End Wrench Sets		.18
Open End Wrench Sets		.19
Individual Alloy Wrenches		20
Screwdrivers & Sets		.21
Solid Joint Pliers		
Small Precision		
General Purpose22	2, 23,	30
Industrial		
Electronic		
Adjustable Wrenches		
Slip Joint Pliers	29,	30
Economy Pliers		
Carbon Wrench Sets		
Rim Wrenches		.32
Punches & Chisels		
Tool Boxes		
Snips		.36
Pipe Tools		
Wrenches: Pipe, Chain, Strap	36,	37
Pipe and Tube Cutters, Reamers		
Knockout Punches		
Ratchet Threaders		
Vises		
Power Drive & Accessories		
SpāSaver Displays42, 43, 44, 4	5, 46,	47
Air Compressors		
Hose Reels		
Hand Pumps		.49

#### WARRANTY

All S-K Wayne Tools are guaranteed against defective material or workmanship. Any tool showing a defect in material or workmanship, will be repaired or replaced free of charge, upon inspection by the Company. Tools abused or worn out from excessive use will not be replaced.

### 1/4" DRIVE **SOCKET SETS**



#### A SET No. 4907 (7 pcs.)

7 Deep Sockets,  $\frac{1}{4}{}''$  square drive, all 6 point. Packed in steel case, 2" high; 4" long.

No.	Description	No.	Description
41908 41909 41910 41911	1/4" Deep Skt. 9/32" Deep Skt. 5/16" Deep Skt. 11/32" Deep Skt.	41912 41914 41916	3/8" Deep Skt. 7/16" Deep Skt. 1/2" Deep Skt.
Std. Pk	ra. 1	Shippina W	eight Each .6 lb.

#### (B) STARTER SET No. 4910 (10 pcs.)

9 Standard 6 point Sockets and 1 Spinner Handle, all  $\frac{1}{4}$ " drive. Packed in steel case: 11/8" high; 61/2" long; 25/16" wide.

No.	Description	No.	Description
40906	<sup>3</sup> / <sub>16</sub> " 6 pt. Skt.	40911	<sup>11</sup> / <sub>32</sub> " 6 pt. Skt.
40907	1/32" 6 pt. Skt.	40912	3%" 6 pt. Skt.
40908	1/4" 6 pt. Skt.	40914	1/16" 6 pt. Skt.
40909	%2" 6 pt. Skt.	40916	½″6 pt. Skt.
40910	5∕ <sub>16</sub> " 6 pt. Skt.	40954	Spinner Handle
Std. Pkg	. 1	Shipping W	eight Each .8 lb.

#### © INTERMEDIATE SET No. 4915 (15 pcs.)

11 Standard Sockets, 1 Ratchet and 3 Accessories, all  $\frac{1}{4}$ " drive. Packed in steel case:  $1\frac{1}{8}$ " high;  $6\frac{1}{2}$ " long;  $2^{5}\!\!/_{16}$ " wide.

No.	Description	No.	Description
40906 40907 40908 40909 40910 40911 40912 40914	3/16" 6 pt. Skt. 1/32" 6 pt. Skt. 1/4" 6 pt. Skt. 1/4" 6 pt. Skt. 5/16" 6 pt. Skt. 1/32" 6 pt. Skt. 3/6" 6 pt. Skt. 1/36" 6 pt. Skt.	40916 40988 40900 40954 40961 40962 40970	½" 6 pt. Skt. ¼" 8 pt. Skt. ½" 8 pt. Skt. 5/16" 8 pt. Skt. Spinner Handle 2" Extension 6" Extension Ratchet
Std. Pkg	g. 1	Shipping Wei	ght Each 1.4 lbs.

#### D MASTER SET No. 4921 (21 pcs.)

9 Standard Sockets and 7 Deep Sockets (all 6 pt.), 1 Ratchet and 4 Accessories, all  $\frac{1}{4}$ " drive. Packed in steel case:  $1\frac{1}{8}$ " high,  $10\frac{1}{2}$ " long,  $2\frac{1}{2}$ " wide.

No.	Description		No.	Description
40906	<sup>3</sup> / <sub>16</sub> " Std. Skt.		41910	5∕16" Deep Skt.
40907	⅓₂" Std. Skt.		41911	11/ <sub>32</sub> " Deep Skt.
40908	1/4" Std. Skt.		41912	¾″ Deep Skt.
40909	%2" Std. Skt.		41914	1/16" Deep Skt.
40910	5/16" Std. Skt.		41916	½″ Deep Skt.
40911	11/32" Std. Skt.		40954	Spinner Handle
40912	3/8" Std. Skt.		40961	2" Extension
40914	7/16" Std. Skt.		40962	6" Extension
40916	1/3" Std. Skt.		40970	Ratchet
41908	1/4" Deep Skt.		40990	Universal Joint
41909	3√2″ Deep Skt.			
Std. Pk	g. 1.	Ship	ping Wei	ight Each 2.3 lbs.

Invaluable timesavers for mechanics making close adjustments on small nuts and bolts. Also ideal for aircraft mechanics, and radio, TV and appliance repairmen and home hobbyists.



## **SOCKET SETS**



#### A TRAY SET No. 4509 (9 pcs.)

9 Standard Sockets, %" drive, 6 and 12 pt. Packed in handy "flip-lock" tray, 81/4" long.

No. Description

NO.	Description	No.	Description	
45112	3%" 6 pt. Skt.	45122	11/ <sub>16</sub> " 12 pt. Skt.	
45114	$\frac{1}{16}$ " 6 pt. Skt.	45124	34" 12 pt. Skt.	
45116	½" 6 pt. Skt.	45126	<sup>13</sup> / <sub>16</sub> " 12 pt. Skt.	
45118	%16" 6 pt. Skt.	45128	1/8" 12 pt. Skt.	
45120	%" 12 pt. Skt.			
Std. Pl	kg. 1	Shippir	ng Weight Each 1.	2 lbs

#### B FLEX SET No. 4607 (7 pcs.)

7 Flex Sockets,  $\frac{3}{8}$  drive, all 6 point. Packed in steel case,  $\frac{1}{8}$  high;  $\frac{6}{2}$  long;  $\frac{2}{16}$  wide. Size

INO.	Size	NO.	Size	NO.	3126	
40612	3/8"	40618	9/16"	40624	3/4"	
40614	7/16"	40620	5/8"			
40616	1/2"	40622	11/16"			
Std. Pkg. 1			Shipping	Weight Each	1.2 lbs.	

#### C DEEP SOCKET SET No. 4408 (8 pcs.)

8 Deep Sockets, 3/8" drive, all 6 point. Packed in steel case, 1¼" high; 7" long; 2¾" wide.

No.	Size	No.	Size	No.	Size
40412 40414 40416	3/8" 7/16" 1/2"	40418 40420 40422	9/16" 5/8" 11/16"	40424 40426	3/4" 13/16"
Std. Pkg. 1			Shipping	Weight Each	2.0 lbs.

#### D STARTER SET No. 4512 (12 pcs.)


8 Standard Sockets, 1 Spark Plug Socket, with neoprene insert, 1 Ratchet and 2 Accessories, all 3/8" drive. Packed in metal box: 13/8" high; 81/8" long; 33/8" wide.

III IIIC	idi box. 178 mgm, 078	iong,	0/6 WIGO	
No.	Description	No.	Description	
45112	3%" 6 pt. Skt.	45124	3/4" 12 pt. Skt.	
45114	1/16" 6 pt. Skt.	45126	<sup>13</sup> / <sub>16</sub> " 12 pt. Skt.	
45116	½" 6 pt. Skt.	45159	1½" Extension	
45118	%16" 6 pt. Skt.	45161	6" Extension	
45120	5/8" 12 pt. Skt.	45170	Ratchet	
45122	<sup>11</sup> / <sub>16</sub> " 12 pt. Skt.	4426	13/16" Spark Plug Sk	t.
Std. Pl	kg. 1	Shippin	ng Weight Each 2.8 I	bs.

#### E INTERMEDIATE SET No. 4519 (19 pcs.)

9 Standard Sockets, 5 Flex Sockets, 1 Spark Plug Socket, with neoprene insert, 1 Ratchet and 3 Accessories. Packed in metal box: 1½" high; 15" long; 3" wide.

No.	Description	No.	Description
45112	3/8" 6 pt. Skt.	40616	½" Flex 6 pt. Skt.
45114	1/16" 6 pt. Skt.	40618	%16" Flex 6 pt. Skt.
45116	½" 6 pt. Skt.	40620	%" Flex 6 pt. Skt.
45118	<sup>9</sup> / <sub>16</sub> " 6 pt. Skt.	40622	11/16" Flex 6 pt. Skt.
45120	5/8" 12 pt. Skt.	45160	3" Extension
45122	<sup>11</sup> / <sub>16</sub> " 12 pt. Skt.	45161	6" Extension
45124	34" 12 pt. Skt.	45162	12" Extension
45126	<sup>13</sup> / <sub>16</sub> " 12 pt. Skt.	45170	Ratchet
45128		4426	13/16" Spark Plug Skt.
40614	7/16" Flex 6 pt. Skt.		1222
Std. P	kg. 1	Shippin	ng Weight Each 4.8 lbs



#### F ALL-PURPOSE SET No. 4521 (21 pcs.)

9 Standard Sockets, 8 Deep Sockets, 1 Ratchet and 3 Accessories, all %" drive. Packed in steel case: 11/2" high; 15" long; 3" wide.

No.	Description	No.	Description
45112	3/8" Std. 6 pt. Skt.	40416	½" Deep 6 pt. Skt.
45114	7/16" Std. 6 pt. Skt.	40418	%16" Deep 6 pt. Skt.
45116	1/2" Std. 6 pt. Skt.	40420	5/8" Deep 6 pt. Skt.
45118	%16" Std. 6 pt. Skt.	40422	<sup>11</sup> / <sub>16</sub> " Deep 6 pt. Skt.
45120	5/8" Std. 12 pt. Skt.	40424	3/4" Deep 6 pt. Skt.
45122	<sup>11</sup> / <sub>16</sub> " Std. 12 pt. Skt.	40426	<sup>13</sup> / <sub>16</sub> " Deep 6 pt. Skt.
45124	3/4" Std. 12 pt. Skt.	45159	1½" Extension
45126	13/16" Std. 12 pt. Skt.	45160	3" Extension
45128	7/8" Std. 12 pt. Skt.	45170	Ratchet
40412	3/8" Deep 6 pt. Skt.	45190	Universal Joint
40414	1/16" Deep 6 pt. Skt.		
Std. P	kg. 1	Shippir	ng Weight Each 5.0 lbs.

#### G GENERAL PURPOSE SET No. 4525 (25 pcs.)

9 Standard Sockets, 8 Deep Sockets, 1 Spark Plug Socket, 1 Ratchet, 3 Pliers, 1 Wrench and 2 Extensions, all %" drive. Packed in steel case: 1½" high; 17%" long; 4%" wide.

No.	Description	No.	Description
45112	3/8" Std. 6 pt. Skt.	40420	%" Deep 6 pt. Skt.
45114	1/16" Std. 6 pt. Skt.	40422	<sup>11</sup> / <sub>16</sub> " Deep 6 pt. Skt.
45116	½" Std. 6 pt. Skt.	40424	3/4" Deep 6 pt. Skt.
45118	%16" Std. 6 pt. Skt.	40426	<sup>13</sup> / <sub>16</sub> " Deep 6 pt. Skt.
45120	%" Std. 12 pt. Skt.	4426	13/16" Spark Plug Skt.
45122	11/ <sub>16</sub> " Std. 12 pt. Skt.	45160	3" Extension
45124	34" Std. 12 pt. Skt.	45161	6" Extension
45126	<sup>13</sup> / <sub>16</sub> " Std. 12 pt. Skt.	45170	Ratchet
45128	1/8" Std. 12 pt. Skt.	7265	6" Thin Nose Plier
40412	3/8" Deep 6 pt. Skt.	8010	10" Adjustable Wr.
40414	1/16" Deep 6 pt. Skt.	15016	6" Diagonal
40416	½" Deep 6 pt. Skt.		Cutting Plier
40418	9/16" Deep 6 pt. Skt.	17717	7" Extra Long Chain
			Nose Plier
Std. P	kg. 1	Shippin	ng Weight Each 9.3 lbs.

#### H MASTER SET No. 4531 (31 pcs.)

9 Standard Sockets, 8 Deep Sockets, 7 Flex Sockets, 1 Ratchet and 6 Accessories, all %" drive. Packed in steel case: 1½" high; 17%" long; 4%" wide.

No.	Description	No.	Description
40412 40414 40416 40418	3/8" Deep 6 pt. Skt. 7/16" Deep 6 pt. Skt. 1/2" Deep 6 pt. Skt. 9/16" Deep 6 pt. Skt.	45114 45116 45118 45120	7/16" Std. 6 pt. Skt. ½" Std. 6 pt. Skt. 9/16" Std. 6 pt. Skt. 5%" Std. 12 pt. Skt.
40420	%" Deep 6 pt. Skt.	45122	11/ <sub>16</sub> " Std. 12 pt. Skt. 34" Std. 12 pt. Skt.
40422 40424	11/ <sub>16</sub> " Deep 6 pt. Skt. 3/4" Deep 6 pt. Skt.	45124 45126 45128	13/ <sub>16</sub> " Std. 12 pt. Skt. 18" Std. 12 pt. Skt. 18" Std. 12 pt. Skt.
40426 40612	13/ <sub>16</sub> " Deep 6 pt. Skt. 3%" Flex 6 pt. Skt.	45153	Flex Handle
40614	7/16" Flex 6 pt. Skt.	45159	11/2" Extension
40616	½" Flex 6 pt. Skt.	45160	3" Extension
40618	%16" Flex 6 pt. Skt.	45162	12" Extension
40620	%" Flex 6 pt. Skt.	45170	Ratchet
40622	<sup>11</sup> / <sub>16</sub> " Flex 6 pt. Skt.	45181	Speeder Handle
40624 45112	¾″ Flex 6 pt. Skt. ¾″ Std. 6 pt. Skt.	45190	Universal Joint
Std P	ka. 1	Shippin	ng Weight Fach 8.8 lbs

Std. Pkg. 1 Shipping Weight Each 8.8 lbs.



## 1/2" DRIVE SOCKET SETS





8 Deep Sockets,  $\frac{1}{2}$ " drive. Packed in steel case:  $1\frac{1}{2}$ " high;  $8\frac{3}{4}$ " long:  $3\frac{3}{4}$ " wide.

No.	Description	No.	Description
40816	½" Deep 12 pt. Skt.	40824	¾" Deep 12 pt. Skt.
40818	%6" Deep 12 pt. Skt.	40826	<sup>13</sup> / <sub>16</sub> " Deep 12 pt. Skt.
40820	%" Deep 12 pt. Skt.	40828	1/8" Deep 12 pt. Skt.
40822	<sup>11</sup> / <sub>16</sub> " Deep 12 pt. Skt.	40830	<sup>15</sup> / <sub>16</sub> " Deep 12 pt. Skt.
Std. P	kg.1 S	Shipping	Weight Each 4.3 lbs.

#### B STARTER SET No. 4112 (12 pcs.)

9 Standard Sockets, 1 Spark Plug Socket with neoprene insert, 1 Reversible Ratchet and 1 Extension, all  $\frac{1}{2}$ " drive. Packed in steel case:  $1^{13}/_{16}$ " high;  $10\frac{3}{4}$ " long;  $3\frac{3}{4}$ " wide.

No.	Description	No.	Description
40114 40116	1/16" Std. 6 pt. Skt. 1/2" Std. 6 pt. Skt.	40126 40128	13/ <sub>16</sub> " Std. 12 pt. Skt.
40118	%16" Std. 6 pt. Skt.	40130	15/16" Std. 12 pt. Skt. 15/16" Std. 12 pt. Skt.
40120 40122	5/8" Std. 12 pt. Skt. 11/16" Std. 12 pt. Skt.	40161 42470	5" Extension Ratchet
40124	¾" Std. 12 pt. Skt.	4826	13/16" Spark Plug Skt.
Std. Pl	kg. 1	Shipping	Weight Each 5.2 lbs.

#### C INTERMEDIATE SET No. 4116 (16 pcs.)

13 Standard Sockets, 1 Ratchet and 2 Accessories, all  $\frac{1}{2}''$  drive. Packed in steel case: 1%'' high; 17'' long; 3%'' wide.

No.	Description	No.	Description
40114 40116	½″ Std. 6 pt. Skt. ½″ Std. 6 pt. Skt.	40130 40132	
40118	%16" Std. 6 pt. Skt.	40134	1½6" Std. 12 pt. Skt.
40120	%" Std. 12 pt. Skt.	40136	1 1/8" Std. 12 pt. Skt.
40122	11/16" Std. 12 pt. Skt.	40140	1 1/4" Std. 12 pt. Skt.
40124	34" Std. 12 pt. Skt.	40161	5" Extension
40126	<sup>13</sup> / <sub>16</sub> " Std. 12 pt. Skt.	41653	17" Flex Handle
40128	%" Std. 12 pt. Skt.	42470	Ratchet
Std. P	kg. 1	Shipping	Weight Each 10.0 lbs.



13 Standard Sockets, 7 Deep Sockets, 1 Ratchet and 2 Accessories, all  $\frac{1}{2}$ " drive. Packed in steel case:  $2^{5}/_{16}$ " high;  $18^{15}/_{16}$ " long; 6" wide.

No.	Description	No.	Description	
40114	1/16" Std. 6 pt. Skt.	40140	11/4" Std. 12 pt. Skt.	
40116	½" Std. 6 pt. Skt.	40816	1/2" Deep 12 pt. Skt.	
40118	%16" Std. 6 pt. Skt.	40818	%16" Deep 12 pt. Skt.	
40120	%" Std. 12 pt. Skt.	40820	5/8" Deep 12 pt. Skt.	
40122	11/16" Std. 12 pt. Skt.	40822	11/16" Deep 12 pt. Skt.	
40124	34" Std. 12 pt. Skt.	40824	3/4" Deep 12 pt. Skt.	
40126	<sup>13</sup> / <sub>16</sub> " Std. 12 pt. Skt.	40826	13/16" Deep 12 pt. Skt.	
40128	1/8" Std. 12 pt. Skt.	40828	1/8" Deep 12 pt. Skt.	
40130	<sup>15</sup> / <sub>16</sub> " Std. 12 pt. Skt.	40161	5" Extension	
40132	1" Std. 12 pt. Skt.	41653	17" Flex Handle	
40134	1½6" Std. 12 pt. Skt.	42470	Ratchet	
40136	1 1/8" Std. 12 pt. Skt.	,,,		


Std. Pkg. 1 Shipping Weight Each 15.0 lbs.

#### E GENERAL PURPOSE SET No. 4126 (26 pcs.)

13 Standard Sockets, 1 Spark Plug Socket, 1 Ratchet, 6 Open End Wrenches, 1 Plier and 4 Accessories. Packed in heavy-duty steel box with lift-out tote tray. Box Size: 6" high; 17\%" long; 6" wide.

No.	Description	No.	Description
40114 40116	⅓ <sub>16</sub> " Std. 6 pt. Skt. ⅓" Std. 6 pt. Skt.	4826 40161	13/16" S.P. Skt. 5" Extension
40118 40120	9/16" Std. 6 pt. Skt.	40162 40190	10" Extension Universal Joint
40122	5%" Std. 12 pt. Skt. 11/16" Std. 12 pt. Skt.	41653	17" Flex Handle
40124 40126	34" Std. 12 pt. Skt. 13/16" Std. 12 pt. Skt.	42470 7510	Ratchet 10" Tongue 'N
40128 40130	15/16" Std. 12 pt. Skt.	O-810	Groove Plier 1/4" x 5/16" O. E. Wr.
40132	1" Std. 12 pt. Skt.	O-1214 O-1618	3/8" x 7/16" O. E. Wr. 1/2" x 9/16" O. E. Wr.
40134 40136	1½" Std. 12 pt. Skt. 1½" Std. 12 pt. Skt.	O-1820	<sup>9</sup> / <sub>16</sub> " x <sup>5</sup> / <sub>8</sub> " O. E. Wr.
40140	1¼" Std. 12 pt. Skt.	O-2224 O-2628	<sup>11</sup> / <sub>16</sub> " × <sup>3</sup> / <sub>4</sub> " O. E. Wr. <sup>13</sup> / <sub>16</sub> " × <sup>7</sup> / <sub>8</sub> " O. E. Wr.

Std. Pkg. 1 Shipping Weight Each 18.0 lbs.



## 3/4" DRIVE SOCKET SETS



#### A STARTER SET No. 4711 (11 pcs.)

Specially designed for heavy-duty truck, tractor and bus work, this popular assortment will serve the needs of the average mechanic. 9 Sockets, all 12 pt., and 2 Accessories. Packed in steel case:  $2\frac{1}{2}$  high;  $18\frac{3}{8}$  long;  $5\frac{1}{2}$  wide.

No.	Description	No.	Description
47130 47134 47136 47140 47142 47144	15/16" Skt. 11/16" Skt. 1 1/8" Skt. 1 1/4" Skt. 15/16" Skt. 1 3/8" Skt.	47146 47148 47152 47153 47161	17/16" Skt. 1 ½" Skt. 1 5%" Skt. Slide T Handle 8" Extension
Std. Pkg	. 1	Shipping Weig	ht Each 15.7 lbs.

#### B BASIC SET No. 4711B (11 pcs.)

Identical to set 4711, but without No. 47153 Slide T Handle, and including No 47170 Ratchet.

No.	Description	No.	Description	
47130 47134 47136 47140	15/16" 12 pt. Skt. 11/16" 12 pt. Skt. 1 1/8" 12 pt. Skt. 1 1/8" 12 pt. Skt. 1 1/4" 12 pt. Skt.	47146 47148 47152 47161	1½″ 12 pt. Skt. 1½″ 12 pt. Skt. 1½″ 12 pt. Skt. 1½″ 12 pt. Skt. 8″ Extension	
47142 47144	1 <sup>5</sup> / <sub>16</sub> " 12 pt. Skt. 1 3⁄8" 12 pt. Skt.	47170	Ratchet	
Std. Pkg	. 1	Shipping	Weight Each 17.0 lb	s.

#### © MASTER SET No. 4725 (25 pcs.)

A full-range set to answer the needs of mechanics servicing heavy duty truck, tractor, bus, oil well, railway or diesel equipment. 20 Sockets, all 12 pt., 1 Ratchet and 4 Accessories. Packed in sturdy metal box featuring lift-out tray, piano-type hinge, and hasp for padlock: 9½" high; 20" long; 8½" wide.

Description	No.	Description
%″ Skt.	47152	1 5/8" Skt.
15/16" Skt.	47154	111/16" Skt.
1" Skt.	47156	1 ¾" Skt.
1½16" Skt.	47158	113/16" Skt.
1 1/8" Skt.	47160	1 1/8" Skt.
1¾16" Skt.	47164	2" Skt.
1 1/4" Skt.	47168	2 1/8" Skt.
15/16" Skt.	47172	2 1/4" Skt.
1 ¾″ Skt.	47153	Slide T Handle
1½′′′ Skt.	47159	3" Extension
1 ½″ Skt.	47161	8" Extension
19/16" Skt.	47162	16" Extension
	47170	Ratchet
	%" Skt.  15/16" Skt.  1" Skt.  11/16" Skt.  13/16" Skt.  13/16" Skt.  13/16" Skt.  15/16" Skt.  15/16" Skt.  17/16" Skt.  17/16" Skt.	78" Skt. 47152 15/16" Skt. 47154 1" Skt. 47156 11/16" Skt. 47158 1 1/8" Skt. 47160 13/16" Skt. 47164 1 1/4" Skt. 47168 15/16" Skt. 47172 1 38" Skt. 47153 17/16" Skt. 47153 1 1/2" Skt. 47159 1 1/2" Skt. 47161 1 19/16" Skt. 47161

Std. Pkg. 1

Shipping Weight Each 51.0 lbs.



## COMBINATION SETS



### A GENERAL-PURPOSE COMBINATION SET No. 4250 (50 pcs.)

This 50-piece selection includes a wide range of standard sockets, ratchets, extensions, handles and universal joints, as well as combination wrenches and screwdrivers. Complete set is packed in a very popular style metal box with full-size tote tray — ample space for many additional tools. Box Size: 8¾" high; 19" long; 7" wide.

#### 1/4" DRIVE COMPONENTS (11 pcs.)

No.	Description	No	. Description
40906	3/16" 6 pt. Skt.	4091	2 3/8" 6 pt. Skt.
40907	1/32" 6 pt. Skt.	4091	4 7/16" 6 pt. Skt.
40908	¼" 6 pt. Skt.	4091	6 ½" 6 pt. Skt.
40909	%₂" 6 pt. Skt.	4095	
40910	5∕16" 6 pt. Skt.	4096	31 2" Extension
40911	11/20" 6 pt. Skt.		

#### 3/8" DRIVE COMPONENTS (13 pcs.)

No.	Description	No.	Description
45116 45118 45120 45122 45124	½" 6 pt. Skt. ½" 6 pt. Skt. ½" 12 pt. Skt. ½" 12 pt. Skt. ¼" 12 pt. Skt. ¼" 12 pt. Skt. ½" Extension	45162 45170 45181 45190	6" Extension 12" Extension Ratchet Speeder Handle Universal Joint 13/16" Spark Plug Skt.
		384	3/8" F-1/4" M Adapter

#### 1/2" DRIVE COMPONENTS (14 pcs.)

No.	Description	No.	Description
40116	½" 6 pt. Skt.	40130	<sup>15</sup> / <sub>16</sub> " 12 pt. Skt.
40118	%16" 6 pt. Skt.	40132	1" 12 pt. Skt.
40120	3/8" 12 pt. Skt.	40134	1½16" 12 pt. Skt.
40122	<sup>11</sup> / <sub>16</sub> " 12 pt. Skt.	40136	1 1/8" 12 pt. Skt.
40124	3/4" 12 pt. Skt.	40140	1 ¼" 12 pt. Skt.
40126	13/16" 12 pt. Skt.	40161	5" Extension
40128	12 pt. Skt. 3 pt. Skt. 12 pt.	40170	Ratchet

#### ADDITIONAL COMPONENTS (12 pcs.)

No.	Description	No.	Description
C-8	1/4" Comb. Wrench	C-22	11/16" Comb. Wrench
C-10	⁵⁄16" Comb. Wrench	C-24	¾" Comb. Wrench
C-12	3/8" Comb. Wrench	70086	6" Round "Keystone"
C-14	1/16" Comb. Wrench		Blade Screwdriver
C-16	½" Comb. Wrench	71064	4" Round "Cabinet"
C-18	9/16" Comb. Wrench		Blade Screwdriver
C-20	%" Comb. Wrench	73002	#2 4" Phillips Head
			Screwdriver

Std. Pkg. 1

Shipping Weight Each 23.4 lbs.



### B BASIC COMBINATION SET No. 4224 (24 pcs.) 1/4" AND 3/8" DRIVE

15 Standard Sockets, 3 Deep Sockets, 1 Spark Plug Socket, 1 Ratchet and 4 Accessories. Packed in metal box:  $1\frac{1}{16}$  high;  $11\frac{3}{16}$  long;  $3\frac{3}{8}$  wide.

#### 1/4" DRIVE COMPONENTS (10 pcs.)

No.	Description	No.	Description
40906	3/16" Std. 6 pt. Skt. 1/32" Std. 6 pt. Skt. 1/4" Std. 6 pt. Skt. 1/4" Std. 6 pt. Skt. 1/2" Std. 6 pt. Skt. 5/16" Std. 6 pt. Skt.	40911	11/32" Std. 6 pt. Skt.
40907		40912	36" Std. 6 pt. Skt.
40908		40914	1/16" Std. 6 pt. Skt.
40909		40916	1/2" Std. 6 pt. Skt.
40910		40954	Spinner Handle

#### 3/8" DRIVE COMPONENTS (14 pcs.)

No.	Description	No.	Description
45118	%16" Std. 6 pt. Skt.	40416	½" Deep 6 pt. Skt.
45120	5/8" Std. 12 pt. Skt.	40418	%16" Deep 6 pt. Skt.
45122	<sup>11</sup> / <sub>16</sub> " Std. 12 pt. Skt.	45159	1½" Extension
45124	34" Std. 12 pt. Skt.	45161	6" Extension
45126	<sup>13</sup> / <sub>16</sub> " Std. 12 pt. Skt.	45170	Ratchet
45128	1/8" Std. 12 pt. Skt.	384	%″ F-¼″ M Adapter
40414	7/ <sub>16</sub> " Deep 6 pt. Skt.	4426	13/16" Spark Plug Skt.
Std. P	kg. 1	Shippi	ng Weight Each 3.81bs.





MASTER COMBINATION SET No. 4280 (80 pcs.) 1/4'' - 1/8'' - 1/2'' DRIVE

A really complete Socket Wrench Set — with an all-purpose selection of standard, special and deep sockets, handles, extensions, ratchets, plus 9 combination wrenches, 2 pliers, 2 punches, 1 chisel and 3 screwdrivers. Entire set is packed in our No. 1541 HEAVY DUTY TOOL CHEST. (For detailed information on this chest, see page 35.)

#### 1/4" DRIVE COMPONENTS (22 pcs.)

No.	Description	No.	Description
40906	3/16" Std. 6 pt. Skt.	41908	1/4" Deep 6 pt. Skt.
40907	1/32" Std. 6 pt. Skt.	41909	%2" Deep 6 pt. Skt.
40908	1/4" Std. 6 pt. Skt.	41910	5/16" Deep 6 pt. Skt.
40909	%2" Std. 6 pt. Skt.	41911	<sup>11</sup> / <sub>32</sub> " Deep 6 pt. Skt.
40910	5/16" Std. 6 pt. Skt.	41912	3/8" Deep 6 pt. Skt.
40911	11/32" Std. 6 pt. Skt.	41914	1/16" Deep 6 pt. Skt.
40912	3/8" Std. 6 pt. Skt.	41916	½" Deep 6 pt. Skt.
40914	1/16" Std. 6 pt. Skt.	40954	Spinner Handle
40916	½" Std. 6 pt. Skt.	40961	2" Extension
40988	1/4" Std. 8 pt. Skt.	40962	6" Extension
40900	5/16" Std. 8 pt. Skt.	40970	Ratchet

#### 3/8" DRIVE COMPONENTS (14 pcs.)

No.	Description	No.	Description
45112	3/8" Std. 6 pt. Skt.	45126	<sup>13</sup> / <sub>16</sub> " Std. 12 pt. Skt.
45114	1/16" Std. 6 pt. Skt.	45128	1 № Std. 12 pt. Skt.
45116	½" Std. 6 pt. Skt.	45159	1½" Extension
45118	%16" Std. 6 pt. Skt.	45160	3" Extension
45120	%" Std. 12 pt. Skt.	45162	12" Extension
45122	11/16" Std. 12 pt. Skt.	45170	Ratchet
45124	¾" Std. 12 pt. Skt.	4426	<sup>13</sup> / <sub>16</sub> " Spark Plug Skt.

#### 1/2" DRIVE COMPONENTS (27 pcs.)

No.	Description	No.	Description
40114	7/16" Std. 6 pt. Skt.	40816	1/2" Deep 12 pt. Skt.
40116	1/2" Std. 6 pt. Skt.	40818	%16" Deep 12 pt. Skt.
40118	%16" Std. 6 pt. Skt.	40820	5/8" Deep 12 pt. Skt.
40120	5/8" Std. 12 pt. Skt.	40822	11/ <sub>16</sub> " Deep 12 pt. Skt.
40122	<sup>11</sup> / <sub>16</sub> " Std. 12 pt. Skt.	40824	3/4" Deep 12 pt. Skt.
40124	3/4" Std. 12 pt. Skt.	40826	<sup>13</sup> / <sub>16</sub> " Deep 12 pt. Skt.
40126	<sup>13</sup> / <sub>16</sub> " Std. 12 pt. Skt.	40828	1/8" Deep 12 pt. Skt.
40128	1/8" Std. 12 pt. Skt.	40830	<sup>15</sup> / <sub>16</sub> " Deep 12 pt. Skt.
40130	<sup>15</sup> / <sub>16</sub> " Std. 12 pt. Skt.	40161	5" Extension
40132	1" Std. 12 pt. Skt.	40162	10" Extension
40134	1½" Std. 12 pt. Skt.	40181	Speeder Handle
40136	1 1/8" Std. 12 pt. Skt.	40190	Universal Joint
40140	1 ¼" Std. 12 pt. Skt.	41653	17" Flex Handle
		42470	Ratchet

#### ADDITIONAL COMPONENTS (17 pcs.)

	Application (17 page)				
No.	Description	No.	Description		
C-8	1/4" Comb. Wrench	17717	7" Long Nose Plier		
C-10	5/16" Comb. Wrench	6306	9" Aligning Punch		
C-12	3/8" Comb. Wrench	6520	6½" Oct. Cold Chisel		
C-14	7/16" Comb. Wrench	6012	4½″ Prick Punch		
C-16	½" Comb. Wrench	71064	4" Round "Cabinet"		
C-18	9/16" Comb. Wrench		Blade Screwdriver		
C-20	%" Comb. Wrench	72106	6" Square Blade		
C-22	11/16" Comb. Wrench		Screwdriver		
C-24	34" Comb. Wrench	73002	4" #2 Phillips		
15016	6" Diagonal Cutter		(Stubby)		

### MASTER COMBINATION SET No. 4221 (121 pcs.) 1/4'' - 1/4'' DRIVE

Largest, most complete Combination Set available. Includes all-around selection of standard, special and deep sockets, handles, extensions, ratchets, universal joints, and flex sockets. Plus 9 combination wrenches, 3 box wrenches, 1 adjustable wrench, 4 pliers, 7 punches, 6 chisels and 6 screwdrivers. Entire set is packed in our No. 1552 HEAVY DUTY TWO DRAWER TOOL CHEST. (For detailed information on this chest, see page 35.)

#### 1/4" DRIVE COMPONENTS (23 pcs.)

No.	Description	No.	Description
40906 40907 40908 40909 40910 40911 40912 40914 40916	3/16" Std. 6 pt. Skt. 1/32" Std. 6 pt. Skt. 1/4" Std. 6 pt. Skt. 1/4" Std. 6 pt. Skt. 1/5" Std. 6 pt. Skt. 1/5" Std. 6 pt. Skt. 1/4" Std. 6 pt. Skt. 1/4" Std. 6 pt. Skt. 1/5" Std. 6 pt. Skt. 1/2" Std. 6 pt. Skt. 1/2" Std. 6 pt. Skt. 1/2" Std. 6 pt. Skt.	41908 41909 41910 41911 41912 41914 41916 40954 40961	1/4" Deep 6 pt. Skt. 1/32" Deep 6 pt. Skt. 1/32" Deep 6 pt. Skt. 1/32" Deep 6 pt. Skt. 1/4" Deep 6 pt. Skt. 1/6" Deep 6 pt. Skt. 1/2" Deep 6 pt. Skt. Spinner Handle 2" Extension
40988 40900	¼″ Std. 8 pt. Skt. ⁵∕₁6″ Std. 8 pt. Skt.	40962. 40970	6" Extension Ratchet
		40990	Universal Joint

#### 3/8" DRIVE COMPONENTS (33 pcs.)

/	(00 P	,
No. Description	No.	Description
45112	40612 40614 40616 40618 40620 40622 40624 4426 45153 45159 45160 45161 45162 45170 45181 45190	3/4" Flex 6 pt. Skt. 1/16" Flex 6 pt. Skt. 1/2" Flex 6 pt. Skt. 1/2" Flex 6 pt. Skt. 1/3" Flex 6 pt. Skt. 11/16" Flex 6 pt. Skt. 11/16" Flex 6 pt. Skt. 13/16" Spark Plug Skt. Flex Handle 11/2" Extension 3" Extension 6" Extension 12" Extension Ratchet Speeder Handle Universal Joint

#### 1/2" DRIVE COMPONENTS (29 pcs.)

72 10	KIAE COMLOISEIS	(29 pc	3.)
No.	Description	No.	Description
40114	1/16" Std. 6 pt. Skt.	40816	½" Deep 12 pt. Skt.
40116	½" Std. 6 pt. Skt.	40818	%16" Deep 12 pt. Skt.
40118	%16" Std. 6 pt. Skt.	40820	%" Deep 12 pt. Skt.
40120	5/8" Std. 12 pt. Skt.	40822	11/16" Deep 12 pt. Skt.
40122	11/16" Std. 12 pt. Skt.	40824	34" Deep 12 pt. Skt.
40124	3/4" Std. 12 pt. Skt.	40826	13/16" Deep 12 pt. Skt.
40126	<sup>13</sup> / <sub>16</sub> " Std. 12 pt. Skt.	40828	1/8" Deep 12 pt. Skt.
40128	1/8" Std. 12 pt. Skt.	40830	15/16" Deep 12 pt. Skt.
40130	15/16" Std. 12 pt. Skt.	40160	2" Extension
40132	1" Std. 12 pt. Skt.	40161	5" Extension
40134	1½16" Std. 12 pt. Skt.	40162	10" Extension
40136	1 1/8" Std. 12 pt. Skt.	40181	Speeder Handle
40140	1 1/4" Std. 12 pt. Skt.	40190	Universal Joint
4V118	%16" Ford V8 Rod Sk	t. 41653	Flex Head Handle
		42470	Ratchet



#### ADDITIONAL COMPONENTS (36 pcs.)

ADDITIONAL COMPONENTS (36			pcs.)
No.	Description	No.	Description
M-121	4 3/8" x 1/16" Box Wr.	6208	6" Machine Drift
M-161			Punch
M-202		6306	9" Aligning Punch
C-8	1/4" Comb. Wrench	6508	5" Octagon Cold Chisel
C-10	5/16" Comb. Wrench	6516	6" Octagon Cold Chisel
C-12	3/8" Comb. Wrench	6520	6½" Octagon Cold
C-14	7/16" Comb. Wrench		Chisel
C-16	½" Comb. Wrench	6612	6" Diamond Point
C-18	%16" Comb. Wrench		Chisel
C-20	%" Comb. Wrench	6708	5½" Cape Chisel
C-22	<sup>11</sup> / <sub>16</sub> " Comb. Wrench	6808	6" Round Nose Cape
C-24	34" Comb. Wrench		Chisel
7510	10" Tongue 'N Groove	6912	4½" Center Punch
	Plier	70044	3½" Round Blade
7206	6" Combination Plier		Screwdriver
15016	6" Diagonal Cutting	70086	6" Round Blade
	Plier		Screwdriver
17717	7" Long Chain Nose	71066	6" Round Cabinet
	Plier		Blade Screwdriver
8010	10" Adjustable Wr.	72081	1¼" Stubby Square
6103	4½" Pin Punch Pt. 2		Blade Screwdriver
6104	4½" Pin Punch Pt. 3	72106	6" Square Blade
6105	4½" Pin Punch Pt. 4		Screwdriver
6106	4½″ Pin Punch Pt. 5	73002	4" #2 Phillips Scwdr.

#### **METRIC TOOLS**



#### METRIC COMBINATION WRENCHES & SETS



#### A INDIVIDUAL METRIC COMBINATION WRENCHES

Item No.	Size	Std. Pkg. Quantity	Pkg. Wt.
8307	7 mm.	6	.3 lb.
8308	8 mm.	6	.3 lb.
8309	9 mm.	6	.4 lb.
8310	10 mm.	6	.5 lb.
8311	11 mm.	6	.7 lb.
8312	12 mm.	6	.8 lb.
8313	13 mm.	6	1.0 lb.
8314	14 mm.	6	1.4 lbs.
8315	15 mm.	6	1.6 lbs.
8316	16 mm.	6	1.9 lbs.
8317	17 mm.	6	2.1 lbs.
8318	18 mm.	6	2.3 lbs.
8319	19 mm.	6	2.9 lbs.
8321	21 mm.	6	3.8 lbs.
8322	22 mm.	6	4.5 lbs.

7mm. thru 13 mm. wrenches have 6 pt. box ends. 14 mm. thru 22 mm. wrenches have 12 pt. box ends.

## B SET 1811 (11 pcs. in tool bag) METRIC COMBINATION WRENCHES

No.	Size	. <u>No.</u>	Size	
8307	7 mm.	8313	13 mm.	
8308	8 mm.	8314	14 mm.	
8309	9 mm.	8315	15 mm.	
8310	10 mm.	8317	17 mm.	
8311	11 mm.	8319	19 mm.	
8312	12 mm.			
Std. Pkg. 3		Ship	ping Wt. 6.25	lbs.

## © SET 1807 (7 pcs. in tool bag) METRIC COMBINATION WRENCHES

No.	<u>Size</u>	No.	Size	
8307	7 mm.	8313	13 mm.	
8309	9 mm.	8314	14 mm.	
8310	10 mm.	8315	15 mm.	
8311	11 mm.			
Std. Pkg. 6		Ship	ping Wt. 5.8 lbs.	

METRIC SOCKETS & SETS - 3/8" DRIVE



#### D INDIVIDUAL METRIC SOCKETS

All 6 point — 3/8" drive

Item No.	Size	Std. Pkg. Quantity	Pkg. Weight
307	7 mm.	6	.3 lb.
308	8 mm.	6	.3 lb.
309	9 mm.	6	.3 lb.
310	10 mm.	6	.3 lb.
311	11 mm.	6	.3 lb.
312	12 mm.	6	.3 lb.
313	13 mm.	6	.4 lb.
314	14 mm.	6	.4 lb.
315	15 mm.	6	.5 lb.
316	16 mm.	6	.6 lb.
317	17 mm.	6	.7 lb.
318	18 mm.	6	.8 lb.
319	19 mm.	6	.8 lb.

#### E SET No. 14 - 38" DRIVE

10 metric sockets, 6 point, sizes 7 mm. through 15 mm. and 17 mm.;  $^{13}/_{6}"$  spark plug holding socket;  $1\frac{1}{2}"$  and 6" extensions; and famous S-K ratchet. Metal box  $1\frac{3}{6}"$  x  $8\frac{1}{6}"$  x  $3\frac{3}{6}"$ .

Std. Pkg. 1

Shipping Wt. 2.6 lbs.

#### F SET No. 13 - 3/8" DRIVE

13 metric sockets, 6 point, sizes 7 mm. through 19 mm. in unique flip-lock tray.


Std. Pkg. 1

Shipping Wt. 1.3 lbs.





S-K 1/4" drive sockets and handles are widely preferred by automotive, aircraft and industrial mechanics who appreciate smart design, accurate machining and high-quality finishes.



# 1/4" DRIVE SOCKETS, HANDLES & ATTACHMENTS



#### A REVERSIBLE RATCHET

Has 60-Tooth mechanism, an exclusive design which permits operation in arcs as small as 6°. For other details on S-K Ratchets, see Inside Front Cover.

Part Number	Length	Head Diam.	Pkg.* Weight
40970	4½"	1"	1.1 lbs.

#### **B** SPINNER HANDLE

Part Number	Length	Pkg.* Weight
40954	6"	1.0 lb.

#### **C** EXTENSIONS

Part Number	Length	Diam.	Pkg.* Weight
40961	2"	21/64"	.3 lb.
40962	6"	21/64"	.9 lb.

#### **D** UNIVERSAL JOINT

Part Number	Length	Pkg.* Weight
40990	111/32"	.3 lb.

#### E STANDARD SOCKETS 409 Series 6 PT.

Part Number	Size	Length	Pkg.* Weight
40906	3/16"	7/8"	.2 lb.
40907	7/32"	7/8"	.2 lb.
40908	1/4"	7/8"	.2 lb.
40909	9/32"	7/8"	.2 lb.
40910	5/16"	7/8"	.2 lb.
40911	11/32"	7/8"	.2 lb.
40912	3/8"	7/8"	.2 lb.
40914	7/16"	7/8"	.3 lb.
40916	1/2"	7/8"	.3 lb.

#### F STANDARD SOCKETS 409 Series 8 PT.

Part Number	<u>Size</u>	Length	Pkg.* Weight
40988	1/4"	7/8"	.2 lb.
40900	5/16"	7/8"	.3 lb.

#### G DEEP SOCKET 419 Series 6 PT.

Part Number	Size	Length	Pkg.* Weight
41908	1/4 "	2"	.3 lb.
41909	9/32"	2"	.3 lb.
41910	5/16"	2"	.4 lb.
41911	11/32"	2"	.4 lb.
41912	3/8"	2"	.5 lb.
41914	7/16"	2"	.6 lb.
41916	1/2"	2"	.7 lb.

<sup>\*</sup>All above items packed in standard package of 6

### RATCHET RENEWALS

1/4" 3/8" 1/2" 3/4"



S-K ratchets are designed so it is a simple operation to remove a worn operating mechanism and install a Ratchet Renewal unit. (Further information on Inside Front Cover.)

Part Number	Drive Size	Std. Pkg.	Weight Each
40970-2	1/4"	1	.1 lb.
45170-2	3/8"	1	.2 lb.
42470-2	1/2"	1	.3 lb.
47170-2	3/4"	1	1.0 lb.



If upon inspection the operating mechanism (illustrated above) is found to be worn out, Ratchet Renewals are available from your tool source. Onthe-spot purchase and installation of a renewal unit eliminates the necessity of a mechanic being without his ratchet while it is being serviced.

### 3/8" DRIVE **SOCKETS, HANDLES** & ATTACHMENTS



#### A STANDARD SOCKETS 451 Series 6 PT.

Part Number	Size	Length	Pkg.* Weight
45112	3/8"	7/8"	.2 lb.
45114	<sup>7</sup> /16″	7/8"	.3 lb.
45116	1/2"	7/8"	.3 lb.
45118	9/16"	7/8″	.4 lb.

#### B STANDARD SOCKETS 451 Series 12 PT.

Part Number	Size	Length	Pkg.* Weight
45120	5/8″	7/8"	.5 lb.
45122	11/16"	1"	.6 lb.
45124	3/4"	1"	.7 lb.
45126	13/16"	11/8"	.9 lb.
45128	7/8"	1 1/8"	1.0 lb.

#### © SPARK PLUG SOCKETS 6 PT.

Both have neoprene inserts which hold spark plug securely. Protects porcelain.


Part Number	Size	Length	Pkg.* Weight
4420	5/8"	23/8"	1.6 lbs.
4426	13/16"	25/16"	1.7 lbs.

#### D DEEP SOCKETS 404 Series 6 PT.

C DEEL JOCKE	13 707 30	1103 0 1 11	
Part Number	Size	Length	Pkg.* Weight
40412	3/8"	13/4"	.5 lb.
40414	7/16"	13/4"	.5 lb.
40416	1/2 "	13/4"	.6 lb.
40418	9/16"	13/4"	.8 lb.
40420	5/8″	21/2"	1.3 lbs.
40422	11/16"	21/2"	1.5 lbs.
40424	3/A "	21/2"	1.9 lbs.
40426	13/16"	21/2"	2.1 lbs.

#### **E** ADAPTERS

Permit use of 1/4	″and ½″ drive s	ockets with	%" drive handles.
Part Number	Size	Length	Pkg.* Weight
384 451	3/8" F-1/4" M 3/8" F-1/2" M	1½" 1½"	.4 lb. .5 lb.



#### F REVERSIBLE RATCHET

Another of the famous line of S-K Ratchets — with close, positive action assured by 40-tooth mechanism. This handle saves time on jobs in cramped quarters. For details on S-K Ratchets, see Inside Front Cover.

Part Number	Length	Head Diam.	Pkg.* Weight
45170	7½″	13/8"	3.7 lbs.

#### **G** ROTO-RATCHET

Ten-inch handle pivots through full 270° arc, offers unmatched versatility of use. Nickel chrome plated for superior protection and appearance. Tested and proved by auto mechanics.

Part No.	Length	Yoke Diam.	Pkg* Weight
3870	101/2"	1 1/8"	6.2 lbs.

#### H SPEEDER HANDLE

Part Number	Length	Diam.	Pkg.* Weight
45181	16½″	3/8″	5,9 lb.

#### **EXTENSIONS**

Part Number	Length	Diam.	Pkg.* Weight
45159	1½"	7/16"	.5 lb.
45160	3"	7/ <sub>16</sub> "	1.0 lb.
45161	6″.	7/ <sub>16</sub> "	1,7 lbs.
45162	12"	7/16"	3.3 lbs.

#### K FLEX HEAD HANDLE

Part Number	Length	Head Diam.	Pkg.* Weight
45153	71/2"	3/4 "	3.1 lbs.

#### L FLEX SOCKETS 406 Series 6 PT.

Part Number	Size	Length	Pkg.* Weight
40612	3/8"	15/8"	.5 lb.
40614	7/16"	15/8"	
40616	1/2"	15/8"	.5 lb.
40618	9/16″	1 <sup>3</sup> / <sub>4</sub> "	.7 lb.
40620	5/8″	1 <sup>25</sup> / <sub>32</sub> "	.8 lb.
40622	11/16"	1 <sup>13</sup> / <sub>16</sub> "	.8 lb.
40624	3/4"	1 ½"	.9 lb.

#### M UNIVERSAL JOINT

Part Number	Length	Pkg.* Weight
45190	1 1/8"	.8 lb.

<sup>\*</sup>All above items packed in standard package of 6

These 3/8" drive sockets and handles are widely preferred by automotive, aircraft and industrial mechanics who appreciate smart design, accurate machining and high-quality finish.







## 1/2" DRIVE **SOCKETS, HANDLES** & ATTACHMENTS



#### A REVERSIBLE RATCHET

Precision machined, 50-tooth mechanism assures close action. For other details, see Inside Front Cover.

Part Number	Length	Head Diam.	Pkg.* Weight
42470 40170	10½″ 15″	13/4" 17/8"	7.5 lbs. 10.8 lbs.
B SPEEDER HA	ANDLE		
Part Number	Length	Diam.	Pkg.* Weight

1/2"

9.9 lbs.

#### C FLEX HEAD HANDLE

Part Number	Length	Head Diam.	Pkg.* Weight
40253	15½″	1½″	8.7 lbs.
41653	17″	1½″	12.5 lbs.

#### (D) EXTENSIONS

40181

Part Number	Length	Diam.	Pkg.* Weight
40160	2″	9/16"	1.1 lbs.
40161	5″	9/16"	2.2 lbs.
40162	10″	9/16"	4.0 lbs.



#### E STANDARD SOCKETS 401 Series 6 PT.

Part Number	Size	Length	Pkg.* Weight
40114 40116 40118	7/ <sub>16</sub> " 1/2" 9/ <sub>16</sub> "	1½" 1½" 1½"	.8 lb. .8 lb. .9 lb.
F STANDARD	SOCKETS 401	Series 12	PT.
40214	7/ <sub>16</sub> "	1½″ 1¼″	.8 lb.

402 402		<sup>7</sup> / <sub>16</sub> " <sup>1</sup> / <sub>2</sub> "	1½″ 1½″	.8 lb. .8 lb.
402				.9 lb.
402	10	9/16"	$1^{17}/_{32}''$	
401	20	5/8"	1%16″	.9 lb.
401	22	11/16"	1 <sup>19</sup> / <sub>32</sub> "	1.3 lbs.
401	24	3/4"	119/32"	1.5 lbs.
401	26	13/16"	15/8"	1.6 lbs.
401	28	7/8"	121/32"	1.8 lbs.
401	30	15/16"	$1^{21}/_{32}''$	2.0 lbs.
401	32	1"	$1^{11}/_{16}''$	2.6 lbs.
401	34	11/16"	123/32"	2.8 lbs.
401	36	11/8"	13/4"	3.1 lbs.
401	38	13/16"	1¾″	3.6 lbs.
401	40	11/4"	13/4"	3.6 lbs.

#### G DEEP SOCKETS 408 Series 12 PT.

Part Number	Size	Length	Pkg.* Weight
40816	1/2"	31/4"	1.9 lbs.
40818	9/16"	31/4"	1.9 lbs.
40820	5/8"	31/4"	2.1 lbs.
40822	11/16"	31/4"	2.2 lbs.
40824	3/4 "	31/4"	2.6 lbs.
40826	13/16"	31/4"	2.4 lbs.
40828	7/8"	31/4"	3.7 lbs.
40830	15/16"	31/4"	4.0 lbs.
40832	1″	31/4"	4.4 lbs.
40834	11/16"	31/4"	4.7 lbs.
40836	11/8"	31/4"	4.9 lbs.

#### H SPARK PLUG SOCKET 6 PT.

Neoprene insert holds spark plug securely. Protects porcelain.

Part Number	Size	Length	Pkg.* Weight
4826	13/16"	217/32"	1.8 lbs.

#### J UNIVERSAL JOINT

Part Number 40190; Length 25/16"; Pkg.\* Weight 1.5 lbs.


#### K FORD V8 CONNECTING ROD SOCKET

Part Number 4V118; Size  $\%_{16}$ "; Length,  $1\frac{1}{4}$ "; Pkg.\* Weight .8 lbs. (Extra thin — not guaranteed)

Part Number 401; Size  $\frac{1}{2}$ " Female —  $\frac{3}{8}$ " Male; Length  $1\frac{3}{8}$ ". Permits use of  $\frac{3}{8}$ " drive sockets with  $\frac{1}{2}$ " drive handles. Pkg.\* Weight .6 lbs.

Part Number 407; Size  $\frac{1}{2}''$  Female —  $\frac{3}{4}''$  Male; Length  $1\frac{1}{2}''$ . Permits use of  $\frac{3}{4}''$  drive sockets with  $\frac{1}{2}''$  drive handles. Pkg.\* Weight 1.5 lbs.

\*All above items packed in standard package of 6.



# 3/4" DRIVE SOCKETS, HANDLES & ATTACHMENTS



These heavy-duty tools handle the big jobs in factories and heavy industrial work. Also used extensively in shipyards, heavy construction, and servicing of trucks, tractors, oil wells, buses, railway and diesel equipment.

#### A REVERSIBLE RATCHET

Positive type, 70-tooth mechanism operates in only 5.1°. Strength, balance and durability are contributing factors also to its unprecedented mechanic acceptance. For other details on S-K Ratchets, see Inside Front Cover.

Part Number	Length	Head Diam.	Pkg. * Weight
47170	18"	21/8"	5.2 lbs.

#### B FLEX HEAD HANDLE

Part Number	Length	Head Diam.	Pkg.* Weight
47155	19″	11/2"	3.6 lbs.

#### © EXTENSIONS

Part Number	Length	Diam.	Pkg.* Weight
47159 47161	3" 8"	15/16" 15/16"	.8 lb. 1.7 lbs.
47162	16″	15/16"	3.4 lbs.

#### D SLIDE "T" HANDLE

Part Number	Length	Diam.	Pkg.* Weight
47153	18″	7/8"	3.8 lbs.

#### E STANDARD SOCKETS 471 Series 12 PT.

Part Number	Size	Length	Pkg.* Weight
47128	7/8"	2"	.5 lb.
47130	15/16"	2″	.5 lb.
47132	1″	2″	.5 lb.
47134	11/16"	2"	.5 lb.
47136	11/8"	21/16"	.6 lb.
47138	13/16"	23/32"	.6 lb.
47140	11/4"	21/8"	.6 lb.
47142	15/16"	25/32"	.8 lb.
47144	13⁄8″	23/16"	.8 lb.
47146	17/16"	21/4"	.9 lb.
47148	11/2"	25/16"	.9 lb.
47150	19/16"	211/32"	1.0 lb.
47152	15⁄8″	23/8"	1.0 lb.
47154	$1^{11}/_{16}''$	27/16"	1.1 lbs.
47156	13/4″	2½″	1.2 lbs.
47158	$1^{13}/_{16}''$	2 <sup>9</sup> / <sub>16</sub> "	1.3 lbs.
47160	1 1/8"	25/8"	1.4 lbs.
47164	2"	211/16"	1.5 lbs.
47168	21/8"	35/32"	1.8 lbs.
47172	21/4"	315/32"	2.6 lbs.

<sup>\*</sup>All above items packed in standard package of 1.







# ALLOY COMBINATION WRENCH SETS

S-K WAYNE TOOLS

These sets include C series alloy combination wrenches, properly machined and heat treated — nickel chrome plated and highly polished. Tool rolls are tough vinyl impregnated cotton with clear plastic pockets. Grommeted for hanging.

#### A SET 1706 (6 pcs. in tool roll)

No.	Size	No.	Size
C-14	7/16"	C-20	5/8"
C-16	1/2"	C-22	11/16"
C-18	9/16"	C-24	3/4 "
Std. Pkg. 1		Shipping W	eight 1.9 ľbs

#### B SET 1713 (13 pcs. in tool roll)

No.	Size	No.	Size
C-8	1/4"	C-22	11/16"
C-10	5/16"	C-24	3/4"
C-12	3/8"	C-26	13/16"
C-14	7/16"	C-28	7/8"
C-16	1/2"	C-30	15/16"
C-18	9/16"	C-32	1"
C-20	5/8″		
Std. Pkg. 1		Shipping V	Veight 5.25 lbs

#### © SET 1714 (14 pcs. in tool roll)

No.	Size	No.	Size
C-12	3/8"	C-26	13/16"
C-14	7/16"	C-28	1/8"
C-16	1/2"	C-30	15/16"
C-18	9/16"	C-32	1"
C-20	5/8″	C-34	11/16"
C-22	11/16"	C-36	11/8"
C-24	3/4 "	C-40	11/4"
Std. Pkg. 4		Shipping We	ight 48.0 lbs



E SET 1707 (7 pcs. in tool bag)

No.	Size	No.	Size
<del>C-8</del>	1/4"	C-16	1/2"
C-10	5/16"	C-18	9/16"
C-12	3/8"	C-20	5/8″
C-14	7/16″		
Std. Pkg. 6		Shipping	Weight 6.1 lbs.

F SET 1709 (9 pcs. in tool bag)

No.	Size	No.	Size
C-8	1/4"	C-18	9/16"
C-10	5/16"	C-20	5/8″
C-12	3/8"	C-22	11/16"
C-14	<sup>7</sup> /16″	C-24	3/4"
C-16	1/2″		
Std. Pkg. 6		Shipping V	Veight 10.8 lbs.


G SET 1712 (12 pcs. in tool bag)


No.	Size	No.	Size
<del>C-8</del>	1/4"	C-20	5/8"
C-10	<sup>5</sup> /16″	C-22	11/16"
C-12	3/8″	C-24	3/4"
C-14	<sup>7</sup> / <sub>16</sub> "	C-26	13/16"
C-16	1/2"	C-28	7/8″
C-18	9/16″	C-30	15/16"
Std. Pkg. 3		Shipping	Weight 12.1 lbs.













# ALLOY BOX END WRENCH SETS



Sets contain combinations of the B and M series alloy box wrenches. Each wrench designed for strength, light weight and proper leverage. Tool rolls are made of durable vinyl impregnated cotton with heavy clear plastic pockets. All containers grommeted for hanging.

### SET 333 (3 pcs. in tool bag) SHORT PATTERN 6 PT. BOX WRENCHES

No.	Size	No.	Size
—— М-1214 М-1618	3/8" × 7/16" 1/2" × 9/16"	M-2022	5/8" × 11/16"
Std. Pkg. 6	72 ~ 710	Shipp	ing Wt. 3.1 lbs.

## B SET 350 (5pcs. in tool bag) LONG PATTERN 12 PT. BOX WRENCHES

No.	Size	No.	Size
B-1214 B-1618 B-1820	3/8" × 7/16" 1/2" × 9/16" 9/16" × 5%"	B-2224 B-2628	11/ <sub>16</sub> " × 3/4" 13/ <sub>16</sub> " × 7/8"
Std. Pkg. 6	, 11	Shipping	Weight 13 lbs.

## © SET 360 (6 pcs. in tool roll) LONG PATTERN 12 PT. BOX WRENCHES

No.	Size	No.	Size
B-1214 B-1618 B-1820	3/8" × 7/16" 1/2" × 9/16" 9/16" × 5/8"	B-2224 B-2628 B-3032	<sup>11</sup> / <sub>16</sub> " × <sup>3</sup> / <sub>4</sub> " <sup>13</sup> / <sub>16</sub> " × <sup>7</sup> / <sub>8</sub> " <sup>15</sup> / <sub>16</sub> " × 1"
Std. Pkg. 1		Shipping	Weight 3.3 lbs.

### D SET 311R (11 pcs. in tool roll) LONG AND SHORT PATTERN BOX WRENCHES

No.	Size	No.	Size
B-1214 B-1416 B-1618 B-1820 B-2024 B-2224	3/8" × 7/16" 7/16" × ½" ½" × 9/16" 9/16" × 5/8" 5/8" × 3/4" 11/16" × 3/4"	B-2628 B-3032 M-1214 M-1618 M-2022	13/16" × 1/8" 15/16" × 1" 3/8" × 1/16" 1/2" × 9/16" 5/8" × 11/16'

B series are long pattern 12 pt; M series short pattern 6 pt.
Std. Pkg. 1 Shipping Wt. 4.6 lbs.

### ALLOY OPEN END WRENCH SETS



## A SET 550 (5 pcs. in tool bag) OPEN END WRENCHES

No.	Size	No.	Size
O-810 O-1214 O-1618	1/4" × 5/16" 3/8" × 7/16" 1/2" × 9/16"	O-1820 O-2224	<sup>9</sup> / <sub>16</sub> " × <sup>5</sup> / <sub>8</sub> " <sup>11</sup> / <sub>16</sub> " × <sup>3</sup> / <sub>4</sub> "
Std. Pkg. 6		Shipping	Weight 6.6 lbs.

## B SET 570 (7 pcs. in tool bag) OPEN END WRENCHES

No.	Size	No.	Size
O-810	$\frac{1}{4}$ " × $\frac{5}{16}$ "	O-2224	11/16" × 3/4"
O-1214	3/8" × 7/16"	O-2628	13/16" X 7/8"
O-1618 O-1820	$\frac{1}{2}'' \times \frac{9}{16}''$ $\frac{9}{16}'' \times \frac{5}{8}''$	O-3032	$^{15}/_{16}'' \times 1''$
Std. Pkg. 3		Shipping	Weight 8.75 lbs.

## © SET 508 (8 pcs. in tool roll) OPEN END WRENCHES


No.	Size	No.	Size
O-810 O-1214 O-1416 O-1618	1/4" × 5/16" 3/8" × 7/16" 7/16" × 1/2" 1/2" × 9/16"	O-1820 O-2224 O-2628 O-3032	9/16" × 5/8" 11/16" × 3/4" 13/16" × 7/8" 15/16" × 1"
Std. Pkg. 1		Shipping	Weight 3.1 lbs.

#### D SET 25 (25 pcs.) COMPLETE WORKSHOP SET

Complete set of 25 wrenches, sizes ¼" through 1¼", mounted on tempered masonite perfboard. Set includes 5 long pattern box wrenches: B-1214 through B-2628; 14 combination wrenches; C-12 through C-40; and 6 open end wrenches: 0-810 through 0-2428. Hangers, perfboard and mounting screws packaged with wrenches in one carton. Perfboard dimensions: 2' x 2'.

Std. Pkg. 1


Shipping Weight 21 lbs.











## FORGED ALLOY WRENCHES



 $\stackrel{\textstyle \frown}{\mathbb{A}}$  c-series combination wrenches, 12 pt. box

Part Number	Size	Length	Std. Pkg.	Pkg. Wt.
*C-8	1/4"	35/8"	6	.3 lb.
*C-10	5/16"	41/8"	6	.4 lb.
*C-12	3/8"	41/2"	6	.5 lb.
*C-14	7/16"	51/8"	6	.7 lb.
C-16	1/2"	5 1/8"	6	1.0 lb.
C-18	9/16"	6%"	6	1.4 lbs.
C-20	5/8"	7½"	6	1.9 lbs.
C-22	11/16"	8 <b>%</b> ″	6	2.3 lbs.
C-24	3/4"	91/4"	6	2.9 lbs.
C-26	13/16"	103/8″	6	3.8 lbs.
C-28	7/8"	111/8"	6	4.5 lbs.
C-30	15/16"	121/8"	6	6.5 lbs.
C-32	1″	13¾″	6	7.0 lbs.
C-34	11/16"	143/4"	3	5.2 lbs.
C-36	11/8"	15¾″	3	6.4 lbs.
C-40	11/4"	17″	3	7.0 lbs.
C-42	$1\frac{5}{16}''$	183/8"	1	4.0 lbs.
C-44	13/8"	183/8"	1	4.0 lbs.
C-46	17/16"	197/16"	1	4.5 lbs.
C-48	11/2"	197/16"	1	4.5 lbs.

<sup>\* 6</sup> point

#### B B-SERIES LONG PATTERN BOX WRENCHES, 12 PT.

Part Number	Size	Length	Std. Pkg.	Pkg. Weight
B-1214	$\frac{3}{8}'' \times \frac{7}{16}''$	73/8"	6	1.0 lb.
B-1416	$\frac{7}{16}'' \times \frac{1}{2}''$	8″	6	1.5 lbs.
B-1618	$\frac{1}{2}'' \times \frac{9}{16}''$	83/4"	6	1.6 lbs.
B-1820	$\frac{9}{16}'' \times \frac{5}{8}''$	91/8"	6	2.3 lbs.
B-2024	$\frac{5}{8}'' \times \frac{3}{4}''$	105/8″	6	3.0 lbs.
B-2224	$^{11}/_{16}'' \times \frac{3}{4}''$	113/8"	6	3.3 lbs.
B-2628	$^{13}/_{16}'' \times \%''$	13″	6	4.5 lbs.
B-3032	$^{15}/_{16} \times 1''$	15"	6	6.3 lbs.

#### © M-SERIES SHORT PATTERN BOX WRENCHES, 6 PT.

Part Number	Size	Length	Std. Pkg.	Pkg. Weight
M-1214	3/8" × 7/16"	43/4"	6	.7 lb.
M-1618 M-2022	½" × ½" ½" × ½" ½" × ½"	5%″ 6%″	6 6	1.0 lb. 1.4 lbs.

#### D O-SERIES OPEN END WRENCHES

Part Number	Size	Length	Std. Pkg.	Pkg. Wt.
O-810	$\frac{1}{4}'' \times \frac{5}{16}''$	41/2"	6	.5 lb.
O-1214	$\frac{3}{8}'' \times \frac{7}{16}''$	5″	6	.7 lb.
O-1416	$\frac{7}{16}'' \times \frac{1}{2}''$	53/8"	6	.9 lb.
Q-1618	$\frac{1}{2}'' \times \frac{9}{16}''$	6"	6	1.2 lbs.
O-1820	$\frac{9}{16}'' \times \frac{5}{8}''$	61/4"	6	1.7 lbs.
O-2224	$^{11}/_{16}'' \times \frac{3}{4}''$	75/8"	6	2.8 lbs.
O-2628	$^{13}/_{16}'' \times \%''$	91/8"	6	4.0 lbs.
O-3032	$^{15}/_{16}'' \times 1''$	103/4"	6	6.5 lbs.

SEE PAGE 10 FOR METRIC ALLOY WRENCHES

## SCREWDRIVERS & SETS



#### A ROUND "KEYSTONE" BLADE SCREWDRIVERS

No.	Blade Size	Std. Pkg.	Pkg. Wt.
70044	½" × 3½"	6	.5 lb.
70084	$\frac{1}{4}'' \times 4''$	6	1.3 lbs.
70086	½" x 6"	6	1.9 lbs.
70106	<sup>5</sup> / <sub>16</sub> " × 6"	6	2.0 lbs.
70128	3/8" x 8"	6	3.5 lbs.

#### B SQUARE BLADE SCREWDRIVERS

No.	Blade Size	Std. Pkg.	Pkg. Wt.
72081 Stubby	½" × 1½"	6	.8 lb.
72084	$\frac{1}{4}'' \times 4''$	6	1.5 lbs.
72106	$\frac{5}{16}'' \times 6''$	6	2.9 lbs.
72128	<b>3/8"</b> × 8"	6	4.0 lbs.
72130	3/8" × 10"	6	4.2 lbs.

#### © ROUND "CABINET" BLADE SCREWDRIVERS

No.	Blade Size	Std. Pkg.	Pkg. Wt.
71064	$\frac{3}{16}'' \times 4''$	6	1.2 lb.
71066	$\frac{3}{16}'' \times 6''$	6	1.5 lb.

#### D PHILLIPS HEAD SCREWDRIVERS

No.	Blade Size	Std. Pkg.	Pkg. Wt.
73001	#1- <sup>3</sup> / <sub>16</sub> " × 3"	6	1.0 lb.
73002	$\#2-\frac{1}{4}''\times 4''$	6	1.7 lb.
73003	#3- <sup>5</sup> / <sub>16</sub> " × 6"	6	2.2 lbs.
73022 Stubby	$#2-\frac{1}{4}'' \times 1\frac{1}{4}''$	6	.9 lb.

#### E No. 70300: 3-PC. GENERAL SCREWDRIVER SET

General 3-pc. set suitable for all-around requirements. Contains No. 70044 round blade  $\frac{1}{2}$ " x  $3\frac{1}{2}$ ", No. 73002 Phillips  $\frac{1}{4}$ 2 x 4", No. 70084 round blade  $\frac{1}{4}$ " x 4". In clear vinyl tool bag.

Std. Pkg. 6

Pkg. Wt. 4.0 lbs.

#### F No. 70600 6-PC PROFESSIONAL SET

Top quality 6-pc. set selected to meet all the requirements of professional tradesmen. Contains No. 73002 #2-  $\frac{1}{4}$ " x 4" Phillips, No. 72081 stubby square blade  $\frac{1}{4}$ " x  $\frac{1}{4}$ ", No. 72106 square blade  $\frac{5}{16}$ " x 6", No. 70044 round blade  $\frac{1}{4}$ " x  $\frac{3}{2}$ ", No. 70086 round blade,  $\frac{1}{4}$ " x 6", No. 71066 round cabinet blade  $\frac{3}{16}$ " x 6". In clear vinyl tool bag. Std. Pkg. 3

#### G No. 73400 4-PC. PHILLIPS SET

Complete 4-pc. Phillips-head set contains No. 73001  $\sharp 1$ - $\sharp 1$ s" x 3" No. 73002  $\sharp 2$ - $\sharp 2$ - $\sharp 2$ " x 4", No. 73003  $\sharp 3$ - $\sharp 1$ s 6", No. 73022  $\sharp 2$ - $\sharp 2$ " x 1 $\sharp 1$ " stubby. In clear vinyl tool bag. Std. Pkg. 6 Pkg. Wt. 5.9 lbs.



## SMALL PRECISION PLIERS



Expressly designed for accurate and exacting work in such fields as watchmaking, hobby-crafts, model building, and all phases of electronics. Precision crafted in every detail, with polished heads and vinyl Cushion Grip handles.

#### A DIAGONAL CUTTING PLIERS

Designed for close cutting of small soft wires. Cushion Grip handles.

No. 181 Size

Std. Pkg.

Pkg. Wt.

#### B END CUTTING NIPPER

Carefully edged to give a clean close cut. Cushion Grip handles.

<u>No.</u> 182 Size 41/4"

Std. Pkg.

.25 lb.

#### C CHAIN NOSE PLIERS (no cutters)

Slender, smooth jaws. Inside length,  $1^3\!/_{32}{''},$  tapering to closed point diameter of  $1/\!\!/_{16}{''}.$  Cushion Grip handles.

No. 183

Size 41/4"

Std. Pkg.

Pkg. Wt.

#### D FLAT NOSE PLIERS (no cutters)

Flat, smooth jaws. Inside length 1"; width at points  $\frac{7}{32}$ " Cushion Grip handles.

<u>No.</u> 184

Size 41/4"

Std. Pkg.

<u>Pkg. Wt.</u> .25 lb.

#### E ROUND NOSE/ROUND JAW PLIERS (no cutters).

Round, smooth jaws. Inside length  $^{13}\!/_{16}''$  , each tip tapering to  $^{1}\!/_{32}''$  diameter. Cushion Grip handles.

No. 185 Size 41/4"

Std. Pk

.25 lb.


#### F No. 90 (5-pcs.) PRECISION PLIER SET


Matches set includes all pliers listed above, in zippered case of washable blue vinyl. Polished heads and Cushion Grip handles.

No.

<u>Size</u> 5¾" × 9¼" Std. Pkg.

Pkg. Wt.





## GENERAL PURPOSE PLIERS



Top quality in every detail, all S-K Wayne pliers on these two pages are drop forged, individually fitted, tempered, adjusted and tested. Cutting edges are induction hardened. Heads are highly polished. With vinyl Cushion Grip handles for extra comfort and control.

#### G DIAGONAL CUTTING PLIERS

General all purpose cutting pliers, properly balanced with keen edges for cutting. Cushion Grip handles.

No.	Size	Std. Pkg.	Pkg. Wt.
15014	41/2"	1	.25 lb.
15015	5″	1	.25 lb.
15016	6"	1	.37 lb.

#### H HEAVY DUTY DIAGONAL CUTTING PLIERS

Cutter is close to the joint, supplying added leverage for heavy wire work and close cutting. Cushion Grip handles.

No.	Size	Std. Pkg.	Pkg. Wt.
16107	7″	1	.50 lb.

#### DELECTRICIAN'S SIDE CUTTING PLIERS

General electrician's tool for installation of domestic and industrial wiring, plant maintenance and repair. Cushion Grip handles.

No.	Size	Std. Pkg.	Pkg. Wt.
18306	6"	1	.50 lb.
18307	7"	1	.75 lb.
18308	9"	1	90 lb

#### K END CUTTING NIPPERS

For close cutting where powerful leverage is required. Cushion Grip handles.

No.	Jaw Width	Size	Std. Pkg.	Pkg. Wt
18506	1″	6"	1	.60 lb.
18507	13/16"	7"	1	.62 lb.
18508	13/16"	8″	1	1 lh

#### L FENCE TOOL AND STAPLE PULLER

Stretches wire tight before fastening. Cuts wire. Pulls out stubborn staples. Drives staples. Cushion Grip handles.

No.	Size	Std. Pkg.	Pkg. Wt.
18750	10″	1	1.5 lbs.

#### M BATTERY PLIERS

Specially designed thin jaws are set at a 30° angle allowing easy access to terminal nuts. Fully polished faces. Cushion Grip handles.

No.	Size	Std. Pkg.	Pkg. Wt.
19488	8"	1	.50 lb.

#### N DIAGONAL CUTTING PLIERS (full fashioned handles)

A well balanced tool with handles specially curved to give extra hand comfort in continuous cutting. Cushion Grip handles.

No.	Size	Std. Pkg.	Pkg. Wt.
15027	7″	1	.50 lb.

#### ① EXTRA LONG CHAIN NOSE PLIERS (with cutters)

Extra long serrated jaws: Inside length  $2\frac{3}{4}$ ", tapering to a closed point diameter of  $\frac{1}{8}$ ". Cushion Grip handles.

No.	Size	Std. Pkg.	Pkg. Wt
17817	7"	1	.40 lb.

For same pliers (no cutters), see 17717 page 24.

#### P LONG CHAIN NOSE PLIERS (with cutters)

Long serrated jaws: Inside length  $1^{13}/_{16}''$ , tapering to closed point diameter of  $\frac{1}{6}''$ . Cushion Grip handles.

No.	Size	Std. Pkg.	Pkg. Wt.
16616	6″	1	.35 lb.

For same pliers (no cutters), see 16716 page 24.

#### **Q** SHORT CHAIN NOSE PLIERS (with cutters)

Short serrated jaws: Inside length  $1^{11}\!/_{32}''$ , tapering to a closed point diameter of 1/16''. Cushion Grip handles.


No.	Size	Std. Pkg.	Pkg. Wt.
16415	5"	1	.25 lb.

For same pliers (no cutters), see 16435 page 24.

#### R CURVED CHAIN NOSE PLIERS (no cutters)

Strong serrated jaws, tapering to a closed point diameter of  $\frac{1}{8}$  and curved to reach areas inaccessible to other pliers. Cushion Grip handles.

pilers. Cusnion	rip nandiesجر		
No.	Size	Std. Pkg.	Pkg. Wt.
16315	6"	1	.40 lb.
<b>\\</b>			
	M	//	
	11/1/		
100		<b>→</b> \	Maria Jana



## INDUSTRIAL PLIERS



#### A SHORT CHAIN NOSE PLIERS (no cutter)

Smooth jaws have  $1^{11}/_{32}$ " inside length, tapering to closed point diameter of  $1/_{16}$ ". Cushion Grip handles.

 No.
 Size
 Std. Pkg.
 Pkg. Wt.

 16435
 5"
 1
 .25 lb.

For same plier with cutter, see 16415 page 23.

#### B LONG CHAIN NOSE PLIERS (no cutter)

Long serrated jaws have  $1^{13}/_{16}$ " inside length, tapering to closed point diameter of  $1/_6$ ". Ideal for getting into hard-to-reach spots. Cushion Grip handles.

#### © EXTRA LONG CHAIN NOSE PLIERS (no cutter)

Extra long serrated jaws have  $2\frac{3}{4}$ " inside length, tapering to closed point diameter of  $\frac{1}{6}$ ". Designed for maximum "reach" into hard-to-get-at locations. Cushion Grip handles.

No. 17717 Size Std. Pkg. Pkg. Wt. 1 50 lb.

For same plier with cutter, see 17817 page 23.

#### D SHORT FLAT NOSE PLIERS (no cutter)

A precision tool for light, fine bench work. Squared nose, smooth jaws. Cushion Grip handles.

No.	Inside Length	Size	Std. Pkg.	Pkg. Wt
16015	1 ½"	5"	1 1	.25 lb.
16016	1 ½"	6"		.50 lb.

#### E LONG FLAT NOSE PLIERS (no cutter)

Long serrated jaws, flat and sturdy, have  $2^3\!/_{16}{''}$  inside length. Squared jaws. Cushion Grip handles.

No. Size Std. Pkg. Pkg. Wt. 17416 6" 1 .50 lb.

For same plier with cutter, see 17516 below.

#### F LONG FLAT NOSE PLIERS (with cutter)

Long serrated jaws having inside length of  $2\frac{3}{16}$ ". Squared nose. Cushion Grip handles.

 No.
 Size
 Std. Pkg.
 Pkg. Wt.

 17516
 6"
 1
 .50 lb.

For same plier without cutter, see 17416 above.

Designed for use in all industrial applications, construction, oil fields, . . . as well as the radio and electronic fields. Each tool is drop forged, individually fitted, tempered, adjusted and tested. Highly polished heads, induction hardened cutting edges. With vinyl Cushion Grip handles for maximum comfort and control.

#### © RADIO AND IGNITION PLIERS WITH NOSE CUTTERS

Cutters are  $\frac{1}{4}$ " long,  $\frac{1}{4}$ " from tip. Tool is designed to reach into tight spots and grip or cut small wires. Ideal in precison wiring where ordinary pliers are too bulky. Tapers to a closed point diameter of  $\frac{1}{4}$ ". Serrated tip. With cross coil spring, Cushion Grip handles.

No.	Size	Std. Pkg.	Pkg. Wt.
16535	5″	1	.25 lb.

#### H HARD WIRE DIAGONAL CUTTING PLIERS

Edged for cutting hard wire in small sizes not larger than  $\frac{1}{16}$  diameter. Not intended for soft wire. A sturdy, well balanced tool. Cushion Grip handles.

No.	Size	Std. Pkg.	Pkg. Wt.
12066	6″	1	.50 lb.

#### J DUCK BILL OR WEAVERS' PLIERS (no cutter)

Carefully tempered smooth jaws, with  $2^3/_{16}"$  inside length, are thin and flat to reach into tight places. Squared jaws. Cushion Grip handles.

No.	Size	Std. Pkg.	Pkg. Wt.
16516	6"	1	.50 lb.

#### K LONG SLIM NOSE PLIERS (no cutter)

Slender serrated jaws have  $2^7/_{32}$ " inside length, tapering to closed point diameter of  $^3/_{32}$ ". Reaches areas inaccessible to other pliers and has unusual gripping capacity. Cushion Grip handles.


No.	Size	Std. Pkg.	Pkg. Wt.
16216	6"	1	.50 lb.


For cross coil spring, see 140 page 27.

#### LINEMEN'S SIDE CUTTING PLIERS

Powerful heavy duty side-cutting pliers for linemen in high wire and plant maintenance work. Cushion Grip handles.

No.	Size	Std. Pkg.	Pkg. Wt.
18016	6"	1	.50 lb.
18017	7"	1	.75, lb.
18018	81/2	" 1	1 lb.





## PLIERS



Full polished heads
 Cushion Grip handles
 Cross coil springs

#### A EXTRA FINE NEEDLE NOSE PLIERS (no cutter)

With smooth jaws, radiused edges. For use on hair wires and sub-miniature assembly. Precision aligned. Will not nick or score wire, even with repeated shaping or forming. Inside length  $13/32^{\prime\prime}$ . Tapers to a closed point diameter of  $3/32^{\prime\prime}$ .

No.	Size	Std. Pkg.	Pkg. Wt
100	4½"	1	.25 lb.

#### B PRECISION (NEEDLE POINT) DIAGONAL CUTTERS

For soft wire only. Fine, exact cutting tip. Flush edge for close, square cut. Cutting edge specially designed to facilitate maintenance of cutting tip alignment.

No.	Size	Std. Pkg.	Pkg. Wt.
101	41/4"	1	.25 lb.

#### C NEEDLE NOSE PLIERS (no cutter)

With smooth jaws, radiused edges. Special quality features in this pliers allow repeated reshaping and forming of wire without creasing, nicking or scoring. Inside length  $1\frac{3}{2}$ . Tapers to a closed point diameter of  $\frac{3}{2}$ .

No.	Size	Std. Pkg.	Pkg. Wt.
102	41/2"	1	.25 lb.

#### D PRECISION TRANSVERSE CUTTING PLIERS

For soft wire only. Designed to cut wires from components where accessibility from side is impossible. Also ideal for stripping narrow TV lead-in wire. Inside length  $^{11}\!\!/_{16}$ ".

No.	Size	Std. Pkg.	Pkg. Wt
103	41/4"	1	.25 lb.

#### E SLIM-TAPERED DIAGONAL CUTTERS

For soft wire only. Semi-flush edge makes a clean cut with minimum of wire peak. Facilitates precision cutting even in tightest areas.

No.	Size	Std. Pkg.	Pkg. Wt.
104	41/4"	1	.25 lb.

For flush cut, see 174, page 28.

#### F EXTRA-FINE OBLIQUE CUTTING PLIERS

Semi-flush edge for soft wire only. For fine, exact tipcutting in even the most restricted work areas. Offset cutter ideal for module work.

	ze Std. F	Pkg. Pkg. Wt.
106 41/2	2" 1	.25 lb.

For flush cut, see 176 page 28.

Quality built in every detail, these precision S-K Wayne pliers are expressly designed for the exacting electronics industry. Each tool is drop forged, individually fitted, tempered, adjusted and tested. Highly polished heads, with cross coil springs and Cushion Grip handles for maximum comfort and accuracy.

#### G PRECISION NEEDLE POINT DIAGONAL CUTTERS

Flush edge for soft wire only. For fine, exact tip-cutting with the precision of smaller diagonals on heavier gauge soft wire. Flush edge makes square cut with no wire peaks. Specially designed cutting edge facilitates maintaining of tip-cutting alignment.

No.	Size	Std. Pkg.	Pkg. Wt
120	5″	1	.25 lb.

#### H PRECISION SLIM NOSE PLIERS (no cutter)

With serrated jaws. Tapers to a closed point diameter of  $\frac{3}{2}$ . Slim  $1\frac{1}{4}$ " nose permits forming or squeezing wire to component with no springing tip movement. Excellent for squeezing wires around terminals.

No.	Size	Std. Pkg.	Pkg. Wt.
121	5"	1	.25 lb.

For smooth jaws, see 122 below.

#### J SLIM NOSE PLIERS (no cutter)

Strong, short, slim nose makes this an excellent production line tool. Smooth jaws radiused edges. Will not crease insulation, won't nick or score wire. Inside length:  $1\frac{1}{4}$ ". Tapers to a closed point diameter of  $\frac{3}{12}$ ".

No.	Size	Std. Pkg.	Pkg. Wt.
122	5″	1	.25 lb.

For serrated jaws, see 121 above.

#### K LONG CHAIN NOSE PLIERS (no cutter)

Standard chain nose pliers (without cutter) with smooth jaws, radiused edges for forming or looping wire without creasing or nicking. Inside length  $1^{13}\%16^{\circ}$ . Tapers to a closed point diameter of  $3\%12^{\circ}$ .

<u>No.</u>	<u>Size</u>	Std. Pkg.	Pkg. Wt.
146	6"	1	.25 lb.

For serrated jaws see 16716 page 24.

#### LONG SLIM NOSE PLIERS (no cutter)

Fine, serrated jaws have  $2\sqrt[3]{_2}''$  inside length, tapering to a closed point diameter of  $^3/_{32}''$ . Ideal for reaching areas inaccessible to other pliers.


No.	Size	Std. Pkg.	Pkg. Wt.
140	6"	1	.25 lb.

Without cross coil spring, see 16216 page 25. For smooth jaws, see 145 page 28.


#### M PINNED LONG NOSE PLIERS WITH CUTTER IN TIP

For soft wire only. Combines advantages of diagonal and chain nose pliers. Flush edges for square cut. Pinned jaws maintain alignment of cutting edges. Serrated jaws.

No.	Size	Std. Pkg.	Pkg. Wt.
141	6"	1	.25 lb.



## Full polished heads • Cushion Grip handles • Cross coil springs



## ELECTRONIC PLIERS



#### N SLIM-TAPERED DIAGONAL CUTTERS

Makes precision, flush cut! Needle point nose facilitates precision cutting even in the tightest work areas.

No.	Size	Std. Pkg.	Pkg. Wt.
174	41/4"	. 1	.25 lb.

For semi-flush cut, see 104 page 26.

#### P EXTRA-FINE OBLIQUE CUTTERS

Makes precision, flush cut! For fine, exact tip-cutting in even the most restricted work areas. Offset cutter ideal for module work.

No.	Size	Std. Pkg.	Pkg. Wt.
176	41/2"	1	.25 lb.

For semi-flush cut, see 106 page 26.

#### Q LONG SLIM NOSE PLIERS (no cutter)

Serrated jaws, inside length,  $2\frac{7}{32}$ " tapering to a closed point diameter of  $\frac{3}{32}$ ", permits greater accessibility in small component assembly. Pinned jaw assures perfect nose alignment, longer plier life.

No.	Size	Std. Pkg.	Pkg. Wt.
144	6″	1	.25 lb.

#### R NEEDLE POINT DIAGONAL CUTTERS

The nose of these popular diagonal pliers is tapered to a  $60^\circ$  angle to give the cutters their fine  $^3\!/_{\!32}{''}$  closed needle point. Semi-flush cut.

No.	Size	Std. Pkg.	Pkg. Wt.
17014	41/2"	1	.25 lb.
17015	5″	1	.25 lb.
17016	6"	1 -	.50 lb.

#### S NEEDLE POINT DIAGONAL CUTTERS

For light electronic work. Narrow tapered nose for close cutting. Cross coil spring enhances production line efficiency and speed. Semi-flush cut.

No.	Size	Std. Pkg.	Pkg. Wt.
16255	5″	1	.25 lb.

#### Not Shown: LONG SLIM NOSE PLIERS (no cutter)

Extra slim  $2^{7}/_{32}$ " nose tapering to a closed point diameter  $3/_{32}$ ", permits maximum accessibility. Pinned jaws assure perfect nose alignment, longer pliers life. Smooth jaws, radiused edges. Will not crease insulation, won't score or or nick wire.

No.	Size	Std. Pkg.	Pkg. Wt.	
145	6"	1	.25 lb.	

For serrated jaws, see 140 on page 27.

#### Not Shown: EXTRA FINE LONG NOSE PLIERS

Like No. 17717. Serrated jaws have inside length of  $2\frac{3}{4}$ ", tapering to a closed point diameter of  $\frac{1}{16}$ ".

No.	Size	Std. Pkg.	Pkg. Wt.
160	7"	1	.50 lb.

# ADJUSTABLE WRENCHES & PLIERS



A NICKEL CHROME PLATED ADJUSTABLE WRENCHES

Forged from alloy steel, polished heads.

No.	Length	Std. Pkg.	Std. Pkg. Wt.
8004	4"	1	.2 lb.
8006	6"	1	.3 lb.
8008	8"	1	.6 lb.
8010	10"	1	.9 lb.
8012	12,"	1	1.6 lbs.
8016	16"	1	3.9 lbs.

#### B BLACK OXIDE FINISH ADJUSTABLE WRENCHES

Forged from alloy steel.

No.	Length	Std. Pkg.	Std. Pkg. Wt.
8104	4"	6	.6 lb.
8106	6"	6	1.7 lbs.
8108	8"	6	3.4 lbs.
8110	10"	6	5.3 lbs.
8112	12"	3	5.1 lbs.
8116	16"	1	3.9 lbs.

#### REPLACEMENT PARTS FOR ADJUSTABLE WRENCHES

Part	ahla W	Wrench Length				
i ait	4"	6"	8″	10"	12"	16″
Jaw (Chrome) Jaw (Black) Knurl Pin and Spring	8104-2 8004-3	8006-2 8106-2 8006-3 8006-4	8108-2 8008-3	8110-2 8010-3	8112-2 8012-3	8116-2 8016-3

#### © TONGUE 'N GROOVE PLIER — Cushion grip handles — polished chrome faces

Jaws of 7516 adjust to 11 positions with maximum opening of  $4\frac{1}{4}$ ". These pliers are highly polished nickel-chrome. Handles coated with blue vinyl plastic.

No.	Length	Std. Pkg.	Std. Pkg. Wt.
7507	6½"	3	1.2 lbs.
7510	10"	3	2.5 lbs.
7516	16"	1	2.8 lbs.

#### D COMBINATION PLIER

A top quality plier, nickel chrome plated, with highly polished faces.

No.	Length	Std. Pkg.	Std. Pkg. Wt
7205	5″	3	1.0 lb.
7206	6"	3	1.4 lbs.
7208	8"	3	2.1 lbs.
7210	10"	3	2.5 lbs.

#### E THIN NOSE COMBINATION PLIER


Nickel chrome plated with highly polished faces.

No.	Length	Std. Pkg.	Std. Pkg. Wt.
7265	6"	3	1.2 lbs.

#### F HOSE CLAMP PLIER

Chrome plated, polished faces. Two-position adjustment accommodates all size clamps.

No.	Length	Std. Pkg.	Std. Pkg. Wt.
7408	8"	3	2.0 lbs.



## PLIERS PLIERS



#### A TONGUE 'N GROOVE PLIER

The 7500 has ground faces, black oxide finish.

No.	Length	Std. Pkg.	Std. Pkg. Wt.
7500	10"	3	2.5 lbs.

#### B COMBINATION PLIER — Satin Finish

Top quality plier, chrome plated and satin finished.

No.	Length	Std. Pkg.	Std. Pkg. Wt.
7305	5″	12	3.5 lbs.
7306	6"	12	5.4 lbs.
7308	8"	12	8.4 lbs.
7310	10″	12	10.5 lbs.

### © STRAIGHT THIN NOSE COMBINATION PLIER — Satin Finish


Useful for home and professional work. Chrome plated and satin finished.

No.	Length	Std. Pkg.	Std. Pkg. Wt.
7365	6"	12	5.2 lbs

#### D DIAGONAL CUTTING PLIERS

Used for close cutting of small wires, brads and for electrical repairs. Polished heads, with jet black handles.

No.	Size	Std. Pkg.	Pkg. Wt.
16005	5″	1 1	.25 lb.
16006	6″		.50 lb.



#### E WATER PUMP PLIER

Chrome plated with polished nose.

No.	Length	Std. Pkg.	Std. Pkg. Wt.
7410	10″	12	8.2 lbs.

### E DIAGONAL CUTTING PLIERS — FULL FASHIONED HANDLES

For close cutting with added leverage. A sturdy tool. Polished heads, with full fashion jet black handles.

No.	Size	Std. Pkg.	Pkg. Wt.
16077	7″	1	.50 lb.

#### **G** LONG CHAIN NOSE SIDE CUTTING PLIERS

Loops, bends and cuts wire. For electrical and light repair work. Polished heads, with jet black handles.

No.	Size	Std. Pkg.	Pkg. Wt.
16606	6"	1	.25 lb.
17807	7"	1	.50 lb.

#### H SIDE CUTTING PLIERS


A good serviceable tool for general repair work. Middle teeth in nose give a firm grip. Polished heads, with jet black handles.

No.	Size	Std. Pkg.	Pkg. Wt.
13808	8″	1	.75 lb.

#### J HEAVY DUTY DIAGONAL CUTTING PLIERS

A sturdy tool designed for close cutting with maximum leverage. Drop forged from selected steel, with polished heads, jet black handles.

No.	Size	Std. Pkg.	Pkg. Wt.
17007	7″	1	.50 lb.



## CARBON WRENCH SETS





#### (A) 15° OPEN END WRENCH SETS — Satin Finish

Demand for these nickel-chrome plated open end wrenches is never ending. Drop-forged from fine grain controlled steel. Openings are carefully machined to uniform dimensions and each tool carefully tempered.

Part No.	Description	Size Range	Std. Pkg. Wt.
45	5-pc. set	5/16" to 3/4"	2,8 lbs.
46	6-pc. set	5/16" to 1/8"	4.1 lbs.
66	6-pc. set	3/8" to 1"	5.6 lbs.
68	6-pc. set	½" to 1½"	8.0 lbs.
Packed 3 t	o a carton.		

#### B 15° OPEN END WRENCH SETS — No. 4000 SERIES — Polished, Nickel-Chrome Plated

Drop-forged from fine grain controlled steel. These popular sets are similar to the sets above except the heads are polished to a very high luster. Nickel-chrome plated for full protection.

Part No.	Description	Size Range	Std. Pkg. Wt.	
4500 4600	5-pc. set 6-pc. set	5/16" to 3/4" 5/16" to 3/8"	2.8 lbs. 4.1 lbs.	
Packed 3 t	o a carton.			

### © 10° BOX WRENCH SETS (SHORT PATTERN) — No. 2000 SERIES — Polished Heads

Wrenches are offset  $10^{\circ}$ , are nickel-chrome plated and have polished heads.

Part No.	Description	Size Range	Std. Pkg. Wt.
2300 2400	3-pc. set 4-pc. set	3/8" to 11/16" 3/8" to 13/16"	1.4 lbs. 2.1 lbs.
Packed 3 t	o a carton.		

## $\boxed{0}$ 45 $^{\circ}$ BOX WRENCH SETS (SHORT PATTERN) — No. 5000 SERIES — Polished Heads

Drop forged from fine grain controlled steel, expertly hardened and nickel-chrome plated.

Part No.	Description	Size Range	Std. Pkg. Wt.
5300 5400	3-pc. set 4-pc. set	3/8" to 11/16" 3/8" to 25/32"	3.5 lbs. 5.8 lbs.
Packed 6 t	o a carton		

## E 45° BOX WRENCH SETS (LONG PATTERN) — No. 3100 SERIES — Polished Heads

Drop forged from fine grain controlled steel, expertly hardened and nickel-chrome plated. Sturdy "hand size" handles for positive grip. Precision broached.

Part No.	Description	Size Range	Std. Pkg. Wt.
3150 3160 3170 Packed 3 t	5-pc. set 6-pc. set 7-pc. set to a carton.	3/8" to 1/8" 3/8" to 1" 3/8" to 11/8"	6.0 lbs. 8.7 lbs. 13.0 lbs.

### F COMBINATION WRENCH SETS — No. 800 SERIES — Satin Finish

Wrenches in the 800 Series are drop-forged from fine grain controlled steel. Each tool is individually tempered, nickel and chrome plated. These wrench sets give the tool user top quality at popular prices.

Part No.	Description	Size Range	Std. Pkg. Wt.
845 850 860 866	5-pc. set 5-pc. set 6-pc. set 6-pc. set	3/8" to 5/8" 7/16" to 11/16" 3/8" to 3/4" 7/16" to 3/4"	2.4 lbs. 3.0 lbs. 3.5 lbs. 4.0 lbs.
Packed 3 t	to a carton.		

### METRIC SETS Polished heads; nickel-chrome plated.

#### G METRIC OPEN END WRENCH SET

Part No.	Description	Size Range	Std. Pkg. Wt	
<b>45-M</b> Packed 3 t	5-pc. Set	8 mm. to 17 mm.	2.1 lbs.	

#### F METRIC COMBINATION WRENCH SETS

Part No.	Description	Size Range	Std. Pkg. Wt.
950 960	5-pc. Set 6-pc. Set	10 mm. to 15 mm. 10 mm. to 17 mm.	3.0 lbs. 4.0 lbs.
Packed 3	to a carton.		



## CARBON WRENCH SETS







#### A SET No. 514 CHROMALOY SPECIAL (14 pcs.)

Includes 14 carbon combination wrenches, sizes  $\frac{1}{4}$ ",  $\frac{5}{16}$ ",  $\frac{3}{8}$ ",  $\frac{7}{16}$ ",  $\frac{1}{2}$ ",  $\frac{9}{16}$ ",  $\frac{5}{8}$ ",  $\frac{11}{16}$ ",  $\frac{3}{4}$ ",  $\frac{13}{16}$ ",  $\frac{7}{8}$ ",  $\frac{15}{16}$ ",  $\frac{17}{1}$ ",  $\frac{11}{16}$ ".

No.	No. Pcs.	Std. Pkg.	Std. Pkg. Wt.
514	14	1	6.8 lbs.

#### B No. 584: ShoPak SPECIAL (84 pcs.)

A complete assortment of most wanted sizes and types of wrenches . . . in dramatic merchandising carton. Special analysis steel, drop forged, heat treated, nickel chrome plated.

- 9 short pattern box wrenches, 10° offset  $\frac{3}{8}$  thru  $\frac{11}{16}$ ".
- 9 short pattern box wrenches, 45° offset  $\frac{3}{10}$  thru  $\frac{11}{16}$ ".
- 15 long pattern box wrenches, 45° offset 3/8 thru 1/8".
- 33 combination wrenches  $\frac{3}{8}$  thru  $\frac{3}{4}$ ".
- 18 open end wrenches  $\frac{5}{16}$ " thru  $\frac{1}{8}$ ".

No.	No. Pcs.	Std. Pkg.	Std. Pkg. Wt.
584	84	1	14.4 lbs.



#### STANDARD RIM WRENCHES

Famous for dependability in garages and service shops. Upset forged from fine grain steel. Bright finish.

Part No.	Length	Socket Size	Std. Pkg.	Std. Pkg. Wt.
9000*	14"	$^{11}/_{16}$ " $\times \frac{34}{4}$ " $\times \frac{13}{16}$ " $\times 19$ mm.	25	50.0 lbs.
9400	16½″	<sup>3</sup> / <sub>4</sub> "× <sup>3</sup> / <sub>4</sub> "× <sup>13</sup> / <sub>16</sub> "× <sup>7</sup> / <sub>8</sub> "	25	70.0 lbs.
9500	20"	<sup>3</sup> / <sub>4</sub> "× <sup>3</sup> / <sub>4</sub> "× <sup>1</sup> 3/ <sub>16</sub> "× <sup>7</sup> / <sub>8</sub> "	25	83.0 lbs.
9600*	16"	$^{11}/_{16}$ " $\times$ 3¼" $\times$ 13 $/_{16}$ " $\times$ 19 mm.	25	55.0 lbs.
*Note m	etric sock	et 19 mm.		

#### FORGED-TYPE RIM WRENCHES - Chrome Plated

Forged — professional type — guaranteed unbreakable in service. Chrome-plated finish, polished sockets.

Part No.	Length	Socket Size	Std. Pkg.	Std. Pkg. Wt.
9710	16½″	<sup>3</sup> / <sub>4</sub> "× <sup>3</sup> / <sub>4</sub> "× <sup>13</sup> / <sub>16</sub> "× <sup>7</sup> / <sub>8</sub> "	25	72.0 lbs.
9720	22″	<sup>3</sup> / <sub>4</sub> "× <sup>13</sup> / <sub>16</sub> "× <sup>7</sup> / <sub>8</sub> "× <sup>15</sup> / <sub>16</sub> "	10	45.0 lbs.

## PUNCHES & CHISELS



Top quality throughout, each item is forged from alloy steel to correct proportions.

Accurately ground and heat treated to exacting specifications. Nickel-chrome plated . . . with highly polished heads.

#### A PRICK PUNCHES

No.	Stock	Length	Std. Pkg.	Pkg. Wt.
6010	5/16"	4½"	6	.50 lb.
6012	3/8″	4½"	6	.75 lb.

#### B PIN PUNCHES

No.	Point No.	Size	Length	Std. Pkg.	Pkg. Wt.
6103	2	3/32"	41/2"	6	.50 lb.
6104	3	1/8"	41/2"	6	.50 lb.
6105	4	5/32"	41/2"	6	.50 lb.
6105L	1	5/32"	8"	6	1.00 lb.
6106	5	3/16"	41/2"	6	.50 lb.
6106L	2	3/16"	8"	6	1.00 lb.
6108	7	1/4"	6"	6	1.00 lb.
6110	8	5/16"	6"	6	1.00 lb.

#### C MACHINE DRIFT PUNCHES

No.	Point	Length	Std. Pkg.	Pkg. Wt.
6204	1/8"	5"	6	.50 lb.
6206	3/16"	5"	6	1.00 lb.
6208	1/4"	6"	6	1.75 lbs.

#### D ALIGNING PUNCHES

No.	Point and Stock	Length	Std. Pkg.	Pkg. Wt.
6304	1/8" × 3/8"	9"	6	1.25 lbs.
6306	$\frac{3}{16}'' \times \frac{1}{2}''$	9"	6	2.00 lbs.
6308	$\frac{1}{4}'' \times \frac{5}{8}''$	9"	6	3.00 lbs.
6310	$\frac{5}{16}'' \times \frac{5}{8}''$	12"	6	5.00 lbs.

#### E DIAMOND POINT CHISEL

No.	Cut	Length	Std. Pkg.	Pkg. Wt.
6612	3/8"	6″	6	3.0 lbs.

#### F CAPE CHISEL

No.	Cut	Length	Std. Pkg.	Pkg. Wt.
6708	1/4"	51/4"	6	1 75 lbs



#### © OCTAGON COLD CHISELS

No.	Cut	Length	Std. Pkg.	Pkg. Wt.
6508	1/4″	5"	6	.50 lb.
6510	5/16"	5"	6	.75 lb.
6512	3/8"	5½″	6	1.00 lb.
6516	1/2"	6"	6	1.50 lbs.
6516L	1/2″	12"	6	3.00 lbs.
6520	5/8″	61/2"	6	2.00 lbs.
6520L	5/8″	12"	6	4.00 lbs.
6524	3/4″	7"	6	3.00 lbs.
6524L	3/4″	12"	6	6.00 lbs.
6528	7/8″	8"	6	5.75 lbs.
6532	1"	81/2"	6	7.50 lbs.

#### H CENTER PUNCHES

No.	Stock	Length	Std. Pkg.	Pkg. Wt.
6910	5/16"	41/2"	6	.50 lb.
6912	3/8″	41/2"	6	.75 lb.
6912L	3/8"	6"	6	1.00 lb.
6914	7/16"	41/2"	6	1.25 lbs.
6916	1/2″	41/2"	6	1.25 lbs.
6916L	1/2″	6"	6	1.75 lbs.

#### I ROUND NOSE CAPE CHISEL

No.	Cut	Length	Std. Pkg.	Pkg. Wt.
-				
6808	1/4″	6"	6	2.0 lbs.

#### K 12-PC. PUNCH AND CHISEL SET No. 3412

Includes pin punches 6103, 6104, 6105, 6106, center punch 6912, diamond point chisel 6612, cold chisel 6508, cape chisel 6708, cold chisel 6516, round nose cape chisel 6808, machine drift punch 6208, cold chisel 6520. Standard package 1. Wt. 2.75 lbs.

#### 5-PC. PUNCH AND CHISEL SET No. 3405

Includes drift punch 6208, center punch 6912, pin punch 6105, and cold chisels 6516 and 6520. Clear plastic tool bag. Standard package 6. Wt. 6.5 lbs.

#### M 3-PC. CHISEL SET No. 3403

Includes cold chisels 6508, 6516, 6520. Clear plastic tool bag. Standard package 6. Wt. 4.0 lbs.

#### N 4-PC. PIN PUNCH SET No. 3404

Includes pin punches 6106, 6105, 6104, 6103. Clear plastic tool bag. Standard package 6. Wt. 2.0 lbs.





# **TOOL BOXES**



A No. 1502 HEAVY DUTY TOOL BOX

Lift-out tote tray has heavy carrying bar and full length partition for socket wrenches. Ample room under the tray for storage of other tools. Has metal carrying handle, and heavy-duty nickel-plated draw bolt equipped for padlock.

 $\frac{\text{No.}}{\text{1502}} \qquad \frac{\text{Dimensions}}{\text{19"} \times 7" \times 8\%4"} \qquad \frac{\text{Std. Pkg.}}{\text{1}} \qquad \frac{\text{Ship. Wt.}}{\text{11.0 lbs.}}$ 

B No. 1519 GENERAL PURPOSE TOOL BOX

Designed to withstand roughest use. Has lift-out tray. Full length piano type hinge, and heavy duty, nickel-plated draw bolt equipped for padlock. Metal handle.

 $\frac{\text{No.}}{1519} \qquad \frac{\text{Dimensions}}{19'' \times 7'' \times 7\frac{1}{4}''} \qquad \frac{\text{Std. Pkg.}}{1} \qquad \frac{\text{Ship. Wt.}}{9.0 \text{ lbs.}}$ 

C No. 1500 GENERAL MECHANIC'S BOX

Sturdy tool box in popular hip-roof style. Separate lift-out tote tray with carrying bar and full length partition. Ample room below tray for other tools. Quality hardware includes round carrying handle, nickle-plated draw bolt.

D No. 1520 ALL-PURPOSE TOOL BOX

Extremely versatile box, ideal for mechanics, electricians, plumbers etc. Sturdy metal handle. Convenient lift-out tote tray with tubular handle, partition for tools and small parts. Spotwelded seams, piano type hinge, and heavy duty, nickel-plated draw bolt equipped for padlock.

No. Dimensions Std. Pkg. Ship. Wt. 1520 20" x 8½" x 9½" 1 3.0 lbs.

Quality constructed to the same exacting standards as the famous tools they hold. Sturdy steel construction throughout, with heavy-duty, nickel plated hardware.

#### E No. 1544 HEAVY DUTY MACHINIST CHEST

A chest that's always in demand. Steel construction throughout. Drawers cannot fall out. Equipped with nickel-plated hardware throughout. The front panel slides into a recess at bottom of the drawers when chest is open. When chest is closed, this panel fits against drawers and is held by nickel-plated lock, locking drawers securely.

#### F No. 1541 HEAVY DUTY TOOL CHEST

An ideal chest for the professional mechanic. Top compartment contains an 18" tote tray for carrying emergency tools right to the job. Free-sliding drawers with compound slides. Top drawer is divided into compartments for miscellaneous small tools. The bottom drawer will accommodate ¾" drive items and other bulky tools. Removable front panel covers drawers and is securely locked in place by cover. Heavy-duty, nickel-plated draw bolt equipped for padlock.

No. Dimensions Std. Pkg. Ship. Wt. 1541 22" x 10" x 10" 1 30.0 lbs.

G No. 1552 HEAVY DUTY TWO DRAWER TOOL CHEST

Here is a chest that's really professional in every mansized detail. The top compartment contains  $18\frac{1}{2}$ " x  $7\frac{1}{2}$ " tote tray with partitions, ideal for carrying tools right to the job. Drawers, a full  $22\frac{1}{2}$ " wide, are free sliding compound type. Top drawer,  $2\frac{1}{2}$ " deep, is divided into compartments for organizing smaller tools. Bottom drawer,  $3\frac{1}{2}$ " deep, will accommodate  $3\frac{1}{4}$ " drive sockets and other bulky tools. Heavy duty nickel plated hardware including side-carrying handles and drawer pulls. Cylinder lock with keys . . . locks lid and drawers for complete tool security.

No. Dimensions Std. Pkg. Ship. Wt. 1552 261/8" x 101/16" x 1111/16" 1 38.5 lbs.

#### H S-K WAYNE TOOL BOXES IN SELF-MERCHANDISING CARTONS

No. 1519-3 Merchandiser with 3 S-K Wayne No. 1519 tool boxes. Display size: 19½" x 8½" x 35" high, including header. Shipping wt. 30 lbs.

No. 1500-4 Merchandiser with 4 S-K Wayne No. 1500 tool boxes. Display size:  $18'' \times 7\frac{1}{4}'' \times 38\frac{1}{2}''$  high, including header. Shipping wt. 27 lbs.

No. 1520-3 Merchandiser with 3 S-K Wayne No. 1520 tool boxes. Display size:  $2014''' \times 934''' \times 4114'''$  high, including header. Shipping wt. 42 lbs.

No. 1502-3 Merchandiser with 3 S-K Wayne No. 1502 tool boxes. Display size:  $19\frac{1}{4}$ " x  $7\frac{3}{4}$ " x 39" high, including header. Shipping wt. 36 lbs.



# **SNIPS**

#### A STANDARD OR STRAIGHT PATTERN SNIPS (straight cut)

Drop forged from high carbon tool steel, carefully heat treated. Highly polished blades are specially designed to stay sharp and give uniform shearing action over their entire length. Bolt and nut assembly machine finished and hardened to reduce wear . . . Cushion Grip handles.

No.	Length	Cut	Std. Pkg.	Pkg. Wt.
7607	7″	1 3/4"	1	.75 lb.
7610	10"	21/2"	1	1.50 lbs.
7612	12¾"	3"	1	2.00 lbs.

#### B DUCK BILL OR CIRCULAR PATTERN SNIPS

Popular "duck bill" type. Drop forged, with same quality features as Standard Pattern Snips described above. Designed to cut circles or intricate scrolls. Cushion Grip handles.

No.	Length	Cut	Std. Pkg.	Pkg. Wt.
7707	7″	1 3/4"	1	.50 lb.
7710	10"	21/2"	1	1.00 lb.
7712	12¾"	3"	1	1.50 lbs.

#### C COMPOUND LEVERAGE AVIATION TYPE SNIPS

These superior snips are designed for the tinner, mechanic and all-around user. Compound leverage affords faster, easier cutting of circles, squares and irregular patterns.

Cutting blades are drop forged from alloy steel, ground and finished for smoother cuts with less wrist fatigue. Cushion Grip handles are correctly shaped for comfort in either hand and proportional for extra leverage with perfect balance, 3 Models—all 10" in length.

No.	Description of Cut	Std. Pkg.	Pkg. Wt.
7801	Cuts Left—13/8" cut	1	1.0 lb.
7802	Cuts Right—1% cut	1	1.0 lb.
7803	Cuts Straight—11/2" cut	1	1.0 lb.





### PIPE TOOLS



#### D HEAVY DUTY PIPE WRENCHES

Super-rugged construction, built to traditional S-K Wayne quality standards. Handles, guaranteed against breakage, are of special malleable iron for strength and durability. Baked enamel finish guards against rust and corrosion. Specially-hardened forged jaws for "bite" that really holds.

No.	Length	Capacity	Std. Pkg.	Std. Pkg. Wt.
11006	6″	3/4 "	6	2.75 lbs.
11008	8″	1"	6	5.25 lbs.
11010	10″	1½″	6	11.25 lbs.
11012	12"	2"	6	18.00 lbs.
11014	14"	2"	6	22.50 lbs.
11018	18"	21/2"	6	35.50 lbs.
11024	24"	3"	3	30.00 lbs.
11036	36"	41/2"	1	19.50 lbs.
11048	48"	6"	1	34.00 lbs

See price list for replacement parts.

#### **E** STILLSON PATTERN PIPE WRENCHES

Extra rugged construction, forged from alloy steel.

No.	Length	Capacity	Std. Pkg.	Std. Pkg. Wt.
7006	6″	1/2"	6	2.2 lbs.
7008	8"	3/4"	6	4.0 lbs.
7010	10″ .	1″	6	8.0 lbs.
7014	14"	11/2"	6	15.0 lbs.
7018	18″	2"	6	25.4 lbs.
7024	24"	2½″	6	45.0 lbs.

See price list for replacement parts.

#### F RATCHETING CHAIN WRENCHES

Ideal for hard-to-get-at spots. Needs less than %'' clearance for inserting chain. Capable of ratcheting action where handle swing is limited.

No.	Length	Capacity	Std. Pkg.	Std. Pkg. Wt.
11144	12"	1/2" - 4"	1	1.75 lbs.
11146	203/4"	3" - 6"	1	4.50 lbs

#### G ALUMINUM ALLOY STRAP WRENCHES

For mar-free handling of chrome tubing, etc. Weighs half as much as malleable types . . . yet exceeds gov't strength specifications by over 2 to 1. Made of space-age aluminum alloy. With specially-treated slip-proof strap.

No.	Size	Capacity	Std. Pkg.	Std. Pkg. Wt.
11152	12"	1/2" - 2"	1	.81bs.
11155	18"	1" - 5"	1	1.7 lbs.

See price list for replacement straps.

#### H HEAVY DUTY PIPE CUTTERS

Solid malleable construction, with all steel handles. Roller blocks travel on extra wide ways for continuous alignment.

No.	Nye No.	Capacity	Cutter Wheels	Std. Pkg.	Pkg. Wt.
10817	2N	1/8" - 2"	2	1	5,5 lbs.
10818	2N-3W	1/8" - 2"	3	1	5.5 lbs.
10820	4N	2" - 4"	2	1	17.0 lbs.
10821	4N-3W	2" - 4"	3	1	17.0 lbs.
10819	2NP	1/8" - 2"	3	1	8.0 lbs.

#### J TUBE CUTTERS WITH ROLLERS

Recommended for copper, aluminum and other non-ferrous metals. Sturdy malleable construction (except for No. 10829, which has aluminum alloy body).

No.	Nye No.	Capacity	Std. Pkg.	Pkg. Wt.
10825	N00C	3/16" - 11/8"	1	1.0 lbs.
10827	N25C	1/2" - 21/8"	1	2.5 lbs.
10829	N4TC	2" - 41/8"	1	4.0 lbs.

#### M UTILITY TUBE CUTTER

A really all-purpose tool for tubing  $\, \frac{1}{3} \! \! \! \! \! \! ''$  to 1" O.D. With parkerized knob.

No.	Nye No.	Capacity	Std. Pkg.	Pkg. Wt.
10826	N22C	1/8" - 1"	1	1.0 lbs.

#### STEEL TUBING CUTER (not shown)

For thinwall conduit up to  $1\frac{1}{2}$ ", pipe up to  $\frac{3}{4}$ ". Also cuts copper tubing up to  $2\frac{1}{8}$ ". Malleable construction. With sliding T-handle for fast and easy feeding.

No.	Nye No.	Capacity	Std. Pkg.	Pkg. Wt.
10828	N25SB	1/2" - 21/8"	1	2.5 lbs.

#### L RATCHET REAMER

For reaming  $\frac{1}{4}$ " to 3" pipe. Complete with ratchet, handle and specially ground, readily replaceable blades. Rugged construction.

No.	Nye No.	Capacity	Std. Pkg.	Pkg. Wt.
10800	NRR	1/4" - 3"	1	6.5 lbs.

#### M SPIRAL-FLUTED RATCHET REAMER


For reaming  $\frac{1}{4}$ " to 2" pipe. Complete with ratchet, handle and readily replaceable blades.

No.	Nye No.	Capacity	Std. Pkg.	Pkg. Wt.
10801	N44RR	1/4" - 2"	1	4.5 lbs.

#### N BIT BRACE SPIRAL FLUTE REAMERS

Made with tapered shank to fit any standard bit brace. Spiral flutes give excellent shearing action.

No.	Nye No.	Capacity	Std. Pkg.	Pkg. Wt.
10802	N42	1/8" - 1"	1	.75 lbs.
10803	N42½	½" - 1¼"	1	.75 lbs.
10804	N44	1/4" - 2"	1	1.25 lbs.



# KNOCKOUT PUNCH SETS



#### MANUAL KNOCKOUT PUNCH SETS

Each set includes handoperated chuck with bearing, drive nut with screw and ballbearing. Exclusive "fast run-up" drive screw has coarser thread (12 vs 24) . . . reduces cutting operation by 50%. Die inserts included in Sets 10901, 10902 and 10903.



No.	Nye No.	Holes Cut (pipe size)	Shpg. Wt.
10900 10901	N ½"MS N1MS	½" - 12 ga. ½" - 12 ga.	0.5 lbs. 3.75 lbs.
10902 10903	N2MS N3MS	¾", 1", 1¼" - 8 ga. 1½", 2", 2½" - 6 ga. 3", 3½", 4" - 6 ga.	11.75 lbs. 33.00 lbs.

#### HYDRAULIC KNOCKOUT PUNCH SETS

These power operated sets combine all the advantages of our exclusive "Four-Point" punch design (see above), with the extra speed and ease of hydraulic operation. Each set features its own high-powered ram. Patented coupler (connecting ram piston with cutter) safeguards piston and punch. All sets furnished in sturdy metal carrying case.

No.	Nye No.	Holes Cut (pipe size)	Ram Cap.	Shpg. Wt.
10905	N1HS	½" - 12 ga. ¾", 1", 1¼" - 8 ga.	10 ton	6.0 lbs.
10906 10907	N2HS N3HS	1½", 2", 2½" - 4 ga. 3", 3½", 4" - 4 ga.	20 ton 25 ton	13.0 lbs. 33.0 lbs.

Hydraulic Pump for above hydraulic sets. Complete with hose and coupler.

No.	Nye No.	P.S.I. Rating	Shpg. Wt.
10908	NHPS	10,000	26.0 lbs.



#### A FAMOUS "51-B" RATCHET PIPE THREADER

The most complete ratchet threader on the market. Cuts straight, tapered or drip threads from the same set of high speed dies. Thread-depth adjustment permits instant setting for standard, extra-deep or shallow cut. Instant pipesize selection lets you switch in seconds to handle 1", 1½", 1½" or 2" pipe. Spin-back feature eliminates tedious reverse ratcheting in returning lead screw to threading position, saves time in hand or power operations. Automatic release opens dies automatically, assures jamproof and damage-free operation. Positive setting for all threads gives you uniform threading every time.

ii cuus gi	oo you aiiii	Till cilionaling over,	
No.	Nye No.	Description	Shpg. Wt
10300	N-51B	Threader with dies	23.5 lbs.

# RATCHET STOCKS



#### **B** MANUAL RATCHET STOCKS

Segmental dies for threading pipe (P) or conduit (C). Available in 2 series of stocks: Series 11 ( $\frac{1}{2}$ " thru  $\frac{1}{4}$ " capacity) or Series 12 ( $\frac{1}{2}$ " thru 2" capacity). Sets feature standard malleable ratchet or "space age" aluminum alloy ratchet with light weight one-piece design. All dies accurately cut from first quality steel. Designed to maintain precision performance during high speed operation.

### SERIES 11 ( $\frac{1}{2}$ " thru 1 $\frac{1}{4}$ " capacity)

#### Sets with Aluminum Ratchet:

No.	Nye No.	Item complete with dies	Shpg. Wt.
10732 10733 10734	N11-4PA N11-4CA N11-31PA N11-31CA N11-RA	Stock ½", ¾", 1", 1¼" (P) Stock ½", ¾", 1", 1¼" (C) Stock ½", ¾", 1" (P) Stock ½", ¾", 1" (C) Alum. Ratchet/handle	13.75 lbs. 13.75 lbs. 10.75 lbs. 10.75 lbs. 2.00 lbs.

#### Sets with Malleable Ratchet:

No.	Nye No.	Item complete with dies	Shpg. Wt.
10675 10676 10678	N11-4P N11-4C N11-31P N11-31C N11-R	Stock ½", ¾", 1", 1½" (P) Stock ½", ¾", 1", 1½" (C) Stock ½", ¾", 1" (P) Stock ½", ¾", 1" (C) Malleable Ratchet/handle	16.0 lbs. 16.0 lbs. 13.0 lbs. 13.0 lbs. 4.25 lbs.


#### Segmental Stock for 11 Series Ratchets:

No.	Nye No.	Die head with die	Shpg. Wt.
	N 11H-½P	½″ (P)	2.5 lbs.
	N 11H-½C	½″ (C)	2.5 lbs.
10668	N 11H-¾P	3⁄4″ (P)	2.5 lbs.
10669	N 11H-¾C	¾″ (C)	2.5 lbs.
10670	N 11H-1P	1″ (P)	3.0 lbs.
10671	N 11H-1C	1" (C)	3.0 lbs.
10672	N 11H-1¼″P	1½" (P)	3.0 lbs.
	N 11H-11/4"C	1½″ (C)	3.0 lbs.

#### Dies Only for 11 Series Ratchets:

Sold in sets of 4. Shpg. wt., each, 0.5 lbs.

No.	Nye No.	Size	No.	Nye No.	Size
10713 10714 10715 10716	N11D-½P N11D-½C N11D-¾P N11D-¾C	1½" (P) 1½" (C) 3¼" (P) 3¼" (C)	10717 10718 10719 10720	N11D-1P N11D-1C N11D-1-1/4P N11D-1-1/4C	1" (P) 1" (C) 1¼" (P) 1¼" (C)



#### **B** MANUAL RATCHET STOCKS (CONT'D)

#### SERIES 12 ( $\frac{1}{2}$ " thru 2" capacity)

#### Sets with Aluminum Ratchet:

No.	Nye No.	Item complete with dies	Shpg. Wt.
10746 10747 10744 10745 10742 10743 10740 10741 10738 10739 10748 10749	N12-40CA	Stock ½", ¾", 1", 1½", 1½", 2" (P) Stock ½", ¾", 1", 1½", 1½", 2" (C) Stock ¾", 1", 1¼", 1½", 2" (C) Stock ¾", 1", 1½", 1½", 2" (C) Stock 1", 1¼", 1½", 2" (P) Stock 1", 1¼", 1½", 2" (C) Stock 1¼", 1½", 2" (C) Stock 1¼", 1½", 2" (C) Stock 1½", 2" (P) Stock 1½", 2" (P) Stock 1½", 2" (C) Stock 1½", 2" (C) Stock 1½", 2" (C) Stock ½", ¾", 1", 1¼" (P) Stock ½", ¾", 1", 1¼" (C)	27.5 lbs. 27.5 lbs. 27.5 lbs. 23.5 lbs. 23.5 lbs. 21.5 lbs. 21.5 lbs. 16.5 lbs. 17.5 lbs. 17.5 lbs.
10737		Alum. Ratchet with handle	3.25 lbs.

#### Sets with Malleable Ratchet:

No.	Nye No.	Item complete with dies	Shpg. Wt.
10688 10689 10690 10691 10692 10693 10694 10695 10696 10697 10698 10699 10700	N12-6P N12-6C N12-5P N12-5C N12-4P N12-3C N12-3C N12-3C N12-2P N12-2C N12-40P N12-40C N12-R	Stock ½", ¾", 1", 1¼", 1½", 2" (P) Stock ½", ¾", 1", 1¼", 1½", 2" (C) Stock ¾", 1", 1¼", 1½, 2" (C) Stock ¾", 1", 1¼", 1½, 2" (C) Stock 1", 1¼", 1½", 2" (C) Stock 1", 1¼", 1½", 2" (C) Stock 1½", 2" (P) Stock 1½", 2" (C) Stock ½", ¾", 1", 1¼" (P) Stock ½", ¾", 1", 1¼" (C) Malleable Ratchet/handle	35.0 lbs. 35.0 lbs. 31.0 lbs. 31.0 lbs. 27.0 lbs. 27.0 lbs. 25.0 lbs. 25.0 lbs. 20.00 lbs. 23.0 lbs. 23.0 lbs. 6.75 lbs.

#### Segmental Stock for 12 Series Ratchets:

acgine	mai block for i	2 001100 110110110101	
No.	Nye No.	Die head with die	Shpg. Wt.
10701 10702 10703 10704 10705 10706 10707 10708 10709 10710	N12H-½P N12H-½C N12H-¾P N12H-1P N12H-1C N12H-1-¼P N12H-1-½C N12H-1-½C N12H-1-½C N12H-1-½C	1½" (P) 1½" (C) 3¼" (P) 3¼" (C) 1" (P) 1" (C) 11¼" (P) 11½" (P) 11½" (P) 11½" (P) 2" (P)	4.0 lbs. 4.0 lbs. 4.0 lbs. 4.0 lbs. 5.5 lbs. 5.5 lbs. 5.5 lbs. 5.5 lbs. 5.5 lbs. 6.75 lbs.
10711	N12H-2C	2" (C)	6.75 lbs.

#### Dies Only for 12 Series Ratchets:

Sold in sets of 4. Shpg. wt., each, 0.5 lbs.

No.	Nye No.	Size	No.	Nye No.	Size
10713	N12D-½P	½" (P)	10719	N12D-1-¼P	1½" (P)
10714	N12D-½C	½" (C)	10720	N12D-1-¼C	1½" (C)
10715	N12D-¾P	¾" (P)	10721	N12D-1-½P	1½" (P)
10716	N12D-¾C	¾" (C)	10722	N12D-1-½C	1½" (C)
10717	N12D-1P	1" (P)	10723	N12D-2P	2" (P)
10718	N12D-1C	1" (C)	10724	N12D-2C	2" (C)

#### SOLID SKIP-TOOTH DIES AND STOCKS

#### C TRIPLEX SOLID DIE STOCK

For use with skip-tooth dies for Pipe (P) or Conduit (C) threading. Use with power drive or for hand threading. A lightweight one-piece stock with openings in body for oiling and chip clearance. Supplied in two combinations:  $\frac{3}{8}$ " to  $\frac{3}{4}$ " and  $\frac{1}{2}$ " to 1".

No.	Nye No.	Item complete with R H skip-tooth dies	Shpg. Wt.
10751	NT-30P	Stock ¾", ½", ¾" (P)	11.25 lbs.
10752	NT-30C	Stock ¾", ½", ¾" (C)	11.25 lbs.
10753	NT-31P	Stock ½", ¾", 1" (P)	11.25 lbs.
10754	NT-31C	Stock ½", ¾", 1" (C)	11.25 lbs.
10750	NT-0	Stock less dies, bushing	8.25 lbs.

#### D IMPROVED SOLID MALLEABLE STOCK

For use with skip-tooth dies (pipe or conduit) and solid bolt dies. Equipped with built-in adjustable guide. No bushings required.

		Item complete with		
No.	Nye No.		Shpg.	Wt.
10756	N1-16P	Stock 1/8", 1/4", 3/8", 1/2", 3/4", 1" (P)	12.25	lbs.
10757	N1-16C	Stock 1/8", 1/4", 3/8", 1/2", 3/4", 1" (C)	12.25	lbs.
10758	N1-15P	Stock 1/4", 3/8", 1/2", 3/4", 1" (P)	11.25	lbs.
10759	N1-15C	Stock 1/4", 3/8", 1/2", 3/4", 1" (C)	11.25	lbs.
10760	N1-14P	Stock 3/8", 1/2", 3/4", 1" (P)	10.25	lbs.
10761	N1-14C	Stock 3/8", 1/2", 3/4", 1" (C)	10.25	lbs.
10762	N1-13P	Stock %", ½", ¾" (P)	9.75	lbs.
10763	N1-13C	Stock %", ½", ¾" (C)	9.75	lbs.
10764	N1-131P	Stock ½", ¾", 1" (P)	9.75	lbs.
10765	N1-131C	Stock ½", ¾", 1" (C)	9.75	lbs.
10766	N1-12P	Stock ½", ¾" (P)	8.25	lbs
10767	N1-12C	Stock ½", ¾" (C)	8.25	bls
10755	N1-10	Stock with handle less dies	7.00	lbs'

#### Not Shown: SOLID SKIP-TOOTH DIES


With easy-starting throat design for clean, leak-proof threads. Special construction reduces friction, permits more chip clearance when backing off. These solid skiptooth dies fit all makes of solid stocks that accommodate die dimensions  $2\frac{1}{2}$ " x  $2\frac{1}{2}$ " x  $3\frac{3}{4}$ ", which is size of all dies listed. Available for Pipe (P) or Conduit (C) threading. Shpg. wt., each, 1 lb.

No.	Nye No.	Size	No.	Nye No.	Size
10770	ND1-1/8 (P)	1/8"	10775	ND1-3/4 (P)	3/4"
10771	ND1-1/4 (P)	1/4"	10776	ND1-3/4 (C)	3/4"
10772	ND1-3/8 (P)	3/8"	10777	ND1-1 (P)	1"
10773	ND1-½ (P)	1/2"	10778	ND1-1 (C)	1"
10774	$ND1-\frac{1}{2}$ (C)	1/2"		, ,	

#### Not Shown: SOLID BOLT DIES

Can be used in all makes of solid stocks that accommodate die dimensions  $2\frac{1}{2}$ " x  $2\frac{1}{2}$ " x  $3\frac{3}{4}$ ". Shpg. wt., each, 1 lb.

No.	Nye No.	Size	No.	Nye No.	Size
10779	ND-1B-1/4	1/4"	10785	ND-1B-5/8	5/8"
10780	ND-1B-5/16	5/16"	10786	ND-1B-3/4	3/4"
10781	ND-1B-3/8	3/8"	10787	ND-1B-3	7/8"
10782	ND-1B-7/16	7/16"	10788	ND-1B-1	1"
10783	ND-1B-1/2	1/2"	10789	ND-1B-11/8	11/8"
10784	ND-1R-9/16	9/16"			(



### VISES



#### A MULTIVISE COMBINATION VISE STAND



Converts from Chain Vise to Yoke Vise



Converts from Yoke Vise to Chain Vise

40

Here's the most versatile Vise Stand you've ever seen. Use it as a yoke vise  $(\frac{1}{2}n'' - 2\frac{1}{2}n'')$  or a chain vise  $(\frac{1}{2}n'' - 5n')$ , depending on your need. Conversion takes less than a minute — all you do is secure one bolt!

This unique vise concept saves money 3 ways. You reduce your initial investment: whether you buy stand plus yoke unit or stand plus chain unit, you actually pay less than for conventional "one-way" units. You save money later: when the time comes to supplement your present equipment, all you buy is the vise unit or yoke unit itself . . . and save the price of a second stand.

You save on the job, too. Large top-operating handle and direct-action clamping assure faster operation. And our new aluminum alloy casting combines

easier portability with maximum strength. Other features include double socket efficiency benders, slots for holding tools, ceiling brace screw, tap hole in base for 1" pipe. Folding tray acts as leg brace.

No.	Nye No.	Description	Shipping Wt.
10886	N-500	MultiVise Stand	40.0 lbs.
10887	N-500Y	MultiVise Yoke unit	5.0 lbs.
10889	N-500C	MultiVise Chain unit	3.0 lbs.

#### B YOKE TYPE VISES

Yoke-type vises have pipe rest and benders on base, extra long jaws.

No.	Nye No.	Capacity	Shipping Wt.
10875	N00	1/8" - 11/2"	6.00 lbs.
10876	No	1/8" - 2"	8.75 lbs.
10877	N1	1/8" - 21/2"	12.00 lbs.
10878	N2	1/8" - 31/2"	21.50 lbs.
10879	N3	1/8" - 41/2"	27.50 lbs.

#### C CHAIN VISES

Easy to operate vise screw and handle. Vises No. 10881 and 10882 are similar to No. 10880 shown except for style of jaws and no pipe rest and bender.

No.	Nye No.	Capacity	Shipping Wt.
10880	61	1/8" - 21/2"	8.75 lbs.
10881	52	1/4" - 4"	15.00 lbs.
10882	53	½" - 8"	37.00 lbs.

#### D SELF-LOCKING CLAMP KIT VISES

Handy portable clamp kit vises attach quickly to plank or work bench.

No.	Nye No.	Capacity	Shipping Wt.
10883	900	1/8" - 11/2"	8.00 lbs.
10884	90	½" - 2"	13.25 lbs.
10885	91	½" - 2½"	16.75 lbs.


#### E PIPE RESTS (2" AND 4")

Folding type. Swivel head, with height adjustment. Steel rollers provide easy rolling without tipping.

No.	Nye No.	Capacity	Ht. Adj.	Shipping Wt.
10891	NAR2	2"	5″	8.5 lbs.
10892	NAR4	4"	4½"	23.0 lbs.

#### F VISE STAND

Designed to accommodate Bench Vises 10875, 10876, 10877, 10880 and 10883; also Clamp Vise 10883. Has light-weight aluminum base plate. Heavy gauge folding tool tray acts as leg brace.



# POWER DRIVE ACCESSORIES



#### A POWER DRIVE (with TOOL TRAY)

Most powerful drive on the market. 3/4" HP reversible Universal Motor with detachable 15-foot oil resistant cord. Handy tool tray included as standard equipment . . . along with 2 case-hardened movable rest bars. Positive grip spin chuck has \%" to 2" capacity for pipe and \\( \frac{5}{16}\)" to 2" capacity for bolts. Replaceable chuck inserts included as standard equipment . . . with patented retainer to keep them in place. Drive mounts easily on bench, truck or No. 10103 Tripod Stand. Hardened steel gears have ball bearing shafts. Factory greased, never needs regreasing.

No.	Nye No.	Voltage	Shipping Wt.
10101	N101 115V	115	100 lbs.
10102	N101 230V	230	100 lbs.

#### TRIPOD STAND (not shown)

Expressly made for power drive above. Has aluminum base plate and convenient folding tray that braces legs.

No.	Nye No.	Shipping Wt
10103	N7-101	24.0 lbs.

#### B QUICK-OPENING DIE HEADS

Fit instantly on No. 10112 Saddle, requiring no bolts or clamps. Heads are complete with high speed dies for long cutting life.

No.	Nye No.	Capacity	Type	Shipping Wt.
10104	Q02-P	1/2" - 3/4"	Pipe	9.0 lbs
10105	Q02-C	1/2" - 3/4"	Conduit	9.0 lbs.
10106	Q04-P	1" - 2"	Pipe	13.5 lbs.
10107	Q04-C	1" - 2"	Conduit	13.5 lbs.

#### C POWER DRIVE SADDLE


Mounts easily on power drive rest bars. Floating die head action in saddle allows faster, more accurate operation. Holds our quick-opening die heads in perfect alignment.

No.	Nye No.	Shipping Wt.
10112	N101-DS	4.0 lbs.

#### DIES ONLY (not shown)

For replacement use in quick-opening die heads described above. Each set contains 4 dies.

No.	Nye No.	Fits Head No.	Shipping Wt.
10108	Q02D-P	10104	.75 lbs.
10109	Q02D-C	10105	.75 lbs.
10110	Q04D-P	10106	1.25 lbs.
10111	Q04D-C	10107	1.25 lbs.



Mounts on power drive rest bar for use in normal upright position. Allows operator to see cut-off position.

No.	Nye No.	Capacity	Shipping Wt.	
10115	N101-PCH	1/8" - 2"	8.0 lbs.	

#### E PIPE REAMER

For highest efficiency reaming. Mounts on power drive rest bar to afford perfect reaming on all size pipe and conduit 1/8" to 2". Removes burrs cleanly . . . without cutting walls. Malleable iron body. Bit is lathe type, replaceable.

No.	Nye No.	Capacity	Shipping Wt.	
10114	N101 Reamer	1/8" - 2"	2.5 lbs.	

#### OILER UNIT WITH PAN (not shown)

Includes Nye pressure oil gun, hand operated, plus 16" x 16" oil reservoir pan (with double strainer to keep oil clean for constant re-use). Usable on power drive stands and vise stands of all makes.

No.	Nye No.	Description	Shipping Wt.
10116	N101-N0	Oiler and pan	22.0 lbs.
10117	N101-N0B	Mounting brace	ket 2.0 lbs.


#### PIPE THREADING OIL (not shown)

Recommended where highest film strength is desired. Available dark or clear with sulpher base. Sold in case

No.	Nye No.	Type	Size	No. in Case	Case Wt.
10250	4D	Dark	1 qt.	12	29.5 lbs.
10251	4C	Clear	1 at.	12	29.5 lbs.
10252	1D	Dark	1 gal.	6	52.0 lbs.
10253	1C	Clear	1 gal.	6	52.0 lbs.
10254	5D	Dark	5 gal.	1	42.0 lbs.
10255	5C	Clear	5 gal.	1	42.0 lbs.

#### UNIVERSAL DRIVE SHAFT (not shown)

No.	Nye No.	Stock Capacity	Shipping Wt.
10118	NP25	up to 12"	34.0 lbs.



# SPASAVER DISPLAYS



#### C No. 87 SPĀSAVER DISPLAY

A real producer of volume sales on ¼", ¾" and ½" drive sockets and handles. Includes balanced stock of 87 different tools, selected to provide maximum turnover and dollar value. Total inventory: 92 tools. Two each of Nos. 45170, 40824, 40826, 40828 and 42470; one each of all others. Smartly arranged on attractive background.

384 Adapter 40906 Skt. 3/16" 40907 Skt. 7/32" 40908 Skt. 1/4" 40909 Skt. 3/32"	1/4" Drive 40910 Skt, 5/16" 40911 Skt, 11/32" 40912 Skt, 3%" 40914 Skt, 1/16" 40916 Skt, 1/2"	40954 Spin Handle 40961 Ext. 2" 40962 Ext. 6" 40970 Ratchet 40990 Univ. Jnt.
451 Adapter 40412 Dp. Skt. 3/8" 40414 Dp. Skt. 1/16" 40416 Dp. Skt. 9/16" 40418 Dp. Skt. 9/16" 40420 Dp. Skt. 11/16" 40424 Dp. Skt. 11/16" 40426 Dp. Skt. 13/16" 4426 S. P. Skt. 13/16" 4420 S. P. Skt. 3/8" 40612 Flex Skt. 3/8"	%" Drive 40614 Flex Skt. 1/16" 40616 Flex Skt. 1/2" 40618 Flex Skt. 1/6" 40620 Flex Skt. 1/6" 40622 Flex Skt. 1/4" 40624 Flex Skt. 3/4" 45112 Skt. 3/6" 45114 Skt. 1/2" 45118 Skt. 1/2" 45120 Skt. 1/4" 45122 Skt. 11/16"	45126 Skt. <sup>13</sup> / <sub>16</sub> " 45128 Skt. ½" 45153 Flex Handle
401 Adapter 40114 Skt. ½" 40116 Skt. ½" 4V118 Fd. Skt. ½" 4V118 Skt. ½" 40120 Skt. ½" 40122 Skt. ½" 40124 Skt. ¾" 40126 Skt. ½" 40128 Skt. ½" 40130 Skt. ½" 40130 Skt. 15/16" 40132 Skt. 1" Dimensions 24" x 3	½" Drive 40134 Skt. 1½6" 40136 Skt. 1½" 40138 Skt. 1¾6" 40140 Skt. 1¼" 40160 Ext. 2" 40161 Ext. 5" 40162 Ext. 10" 40181 Speeder 40190 Univ. Jnt. 40816 Dp. Skt. ½" 40820 Dp. Skt. ½6" 40820 hg. Skt. %6" 32" high Ship	40822 Dp. Skt. <sup>11</sup> / <sub>16</sub> " 40824 Dp. Skt. <sup>3</sup> / <sub>4</sub> " 40826 Dp. Skt. <sup>13</sup> / <sub>16</sub> " 40828 Dp. Skt. <sup>13</sup> / <sub>16</sub> " 40830 Dp. Skt. <sup>15</sup> / <sub>16</sub> " 40832 Dp. Skt. 1" 40834 Dp. Skt. 1"/ <sub>4</sub> 40836 Dp. Skt. 1½" 4826 S. P. Skt. <sup>13</sup> / <sub>16</sub> " 41653 Flex Handle 42470 Ratchet 40170 Ratchet ping Weight 52.8 lbs.



#### A No. 5 SPASAVER DISPLAY

Five fast-selling S-K Sets arranged for maximum sales "step-up". SpaSaver display mounts on perfboard, or on other surfaces, stands on counter. Everything instantly visible in this smart display, with no waste space. Companion to No. 8 Display.

Qn.	No.	Description
1	4915	1/4" Drive — (15 Pcs.)
1	4512	3/8" Drive — (12 Pcs.)
1	4521	3/8" Drive — (21 Pcs.)
1	4116	½" Drive — (16 Pcs.)
1	4123	1/2" Drive — (23 Pcs.)

Dimensions 16" x 23" Shipping Weight 43.0 lbs.

#### D No. 26 SPASAVER DISPLAY


A compact arrangement of adjustable wrenches (polished) slip joint pliers (polished), Tongue-N-Groove pliers and solid joint pliers (all with cushion grip). One-to-two each of 26 popular items. Total inventory: 48 tools.


	Part			Part	
Qn	No.	Description	Qn	. No.	Description
2	8004	4" Pol. Adj. Wr.	2	181	4½" Diag. Cutter*
2	8006	6" Pol. Adj. Wr.	2	15016	6" Diag. Cutter*
2	8008	8" Pol. Adj. Wr.	2	15027	7" Diag. Cutter*
2	8010	10" Pol. Adj. Wr.	2	182	4½" End Cutting
2	8012	12" Pol. Adj. Wr.			Nipper*
1	8016	16" Pol. Adj. Wr.	1	18507	7" End Cutting
2	7507	7" Tongue-N-			Nipper*
		Groove*	2	183	4½ Chain Nose
2	7510	10" Tongue-N-			Plier*
		Groove*	2	16415	5" Chain Nose Pl.*
1	7516	16" Tongue-N-	2	16616	6" Chain Nose Pl.*
		Groove*	2	17817	7" Chain Nose Pl.*
2	7206	6" Pol. Comb. Pl.	2	16107	7" Heavy Duty
2	7208	8" Pol. Comb. Pl.			Diagonal Cutter*
2	7265	Pol. T.N. Comb.	1	18307	7″ Electrician's
		Plier ·			Plier*
2	7408	8" Pol. Hose	2	16315	5½" Curved
		Clamp Plier			Chain Nose*
2	19488	8" Battery Plier*			
		,			


Dimensions 24" x 32" high Shipping Weight 42 lbs.

\* Denotes items with Cushion Grip handles.

#### ALL DISPLAY EQUIPMENT SUPPLIED FREE WITH PURCHASE OF TOOL INVENTORY







### B No. 8 SPASAVER DISPLAY

An exciting new merchandiser designed for impulse volume on 7 forged wrench sets. Compact unit mounts on perfboard or stands as easel unit on counters. Companion to No. 5 Display.

Qn.	Set No.	Description
1	333	3 pc. Short Pattern
1	350	(¾" to ½1/16") 5 pc. Long Pattern (¾" to ¾")
1	550	5 pc. Open End
1	570	(¼" to ¾") 7 pc. Open End (¼" to 1")
1	1707	7 pc. Combination
1	1709	(¼" to %") 9 pc. Combination (¼" to ¾")
1	1712	12 pc. Combination (1/4" to 15/16")

Dimensions 16" x 26". Shipping Weight 19.0 lbs.

#### F No. 33 SPASAVER DISPLAY

This compact display merchandises the full line of S-K Wayne screwdrivers, punches and chisels. Total inventory of 69 tools and 5 sets includes 2 screwdriver sets and one each of 3 punch and chisel sets plus 32 screwdrivers, 23 punches and 14 chisels.

#### **SCREWDRIVERS**

Quantity	No.	Description
1	70600	6-pc. Professional Set
1	73400	4-pc. Phillips Set
2	70044	3½" Round Keystone Blade
2	70084	4" Round Keystone Blade
2	70086	6" Round Keystone Blade
2	70106	6" Round Keystone Blade
2	70128	8" Round Keystone Blade
2	72081	1¼″ Stubby Square Blade
2	72084	4" Square Blade
2	72106	6" Square Blade
2	72128	8" Square Blade
2	72130	10" Square Blade
2	71064	4" Round Cabinet Blade
2	71066	6" Round Cabinet Blade
2	73001	#1 Phillips
2	73002	#2 Phillips
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	73003	#3 Phillips
2	73022	#2 Stubby Phillips

### E No. 36 SPASAVER DISPLAY

Box, open end and combination wrenches conveniently arranged to invite impulse buying. Display contains part number identification and pre-pricing. Total inventory: 67 tools.

#### Box Wrenches

2 2 2 2 2 2	B-12° B-14° B-16° B-18° B-20° B-22°	16 7/16" 18 1/2" 20 9/16" 24 5/8"	X 7/1 X 1/2 X 9/1 X 5/8 X 3/4 X 3/4	" 2 6" 2 " 2	B-3032 M-1214 M-1618	1 4 3	13/16" × 7/ 15/16" × 11 3/8" × 7/ 1/2" × 9/ 5/8" × 11	/16 // 16 //
2 2 2 2	C-8 C-10 C-12 C-14 C-16 C-18	1/4" 5/16" 3/8" 7/16" 1/2" 9/16"	2 2 2 2 2	C-20 C-22 C-24 C-26 C-28 C-30	Wrenche  5/8"  11/16"  3/4"  13/16"  7/8"  15/16"	2 1 1		1" 1½6' 1½" 1¼"

#### Open End Wrenches


		Obeli Eli	u vv	rendies	
2	O-810	$\frac{1}{4}'' \times \frac{5}{16}''$	2	O-1820	9/16" × 5/8"
2	O-1214	$\frac{3}{8}'' \times \frac{7}{16}''$	2	0-2224	$^{11}/_{16}'' \times ^{3}/_{4}''$
2	O-1416	$\frac{7}{16}'' \times \frac{1}{2}''$	2	O-2628	13/16" X 7/8"
2	O-1618	$\frac{1}{2}'' \times \frac{9}{16}''$	2	O-3032	$15/_{16}'' \times 1''$


Dimensions 24" x 32" high Shipping Weight 48.0 lbs.

#### PUNCHES & CHISELS (one each.)

No.	Description	No.	Description
3404	4-pc. Pin Punch Set	6308	Aligning Punch
3405	5-pc. Punch &	6310	Aligning Punch
	Chisel Set	6910	Center Punch
3412	12-pc. Punch &	6912	Center Punch
	Chisel Set	6912L	Center Punch
6010	Prick Punch (5/16"	6914	Center Punch
	stock)_	6916	Center Punch
6012	Prick Punch (¾"	6916L	Center Punch
	stock)	6508	Cold Chisel
6103	Pin Punch	6510	Cold Chisel
6104	Pin Punch	6512	Cold Chisel
6105	Pin Punch	6516	Cold Chisel
6105L	Pin Punch	6516L	Cold Chisel
6106	Pin Punch	6520	Cold Chisel
6106L	Pin Punch	6520L	Cold Chisel
6108	Pin Punch	6524	Cold Chisel
6110	Pin Punch	6524L	Cold Chisel
6204 6206	Machine Drift Punch Machine Drift Punch		Cold Chisel
6208	Machine Drift Punch	6532	Cold Chisel
6304	Aligning Punch	6612 6708	Diamond Point Chisel
6306	Aligning Punch	6808	Cape Chisel Rd. Nose Cape Chisel
Dimen	sions 24" x 32" high	Shi	ippina Weight 55.0 lbs.

#### ALL DISPLAY EQUIPMENT SUPPLIED FREE WITH PURCHASE OF TOOL INVENTORY





# SPĀSAVER DISPLAYS



### A No. 56 SPASAVER DISPLAY

A profit-producing, low-inventory assortment of S-K % and  $\frac{1}{2}''$  drive tools. Includes 70 sockets and handles.

3/8"	Drive
------	-------

1—451 Adapter	1-45118 Skt. 1/16"
2-40412 Dp. Skt. 3/8"	1-45120 Skt. 5/8"
2—40414 Dp. Skt. 1/16"	1-45122 Skt. 11/16"
2-40416 Dp. Skt. ½"	1-45124 Skt. 3/4"
2-40418 Dp. Skt. 16"	1-45126 Skt. 13/16"
2-40420 Dp. Skt. 5%"	1-45128 Skt. 1/8"
2-40422 Dp. Skt. 11/16"	1-45159 Ext. 11/2"
2-40424 Dp. Skt. 34"	1-45160 Ext. 3"
2-40426 Dp. Skt. <sup>13</sup> / <sub>16</sub> "	1-45161 Ext. 6"
2-4426 S. P. Skt. <sup>13</sup> / <sub>16</sub> "	1-45162 Ext. 12"
1—45112 Skt. ¾"	1-45170 Ratchet
1—45114 Skt. 1/16"	1-45181 Speeder
1—45116 Skt. ½"	1—45190 Univ. Joint

#### ½" Drive

	72 DIIVE
1-401 Adapter	1-40160 Ext. 2"
1—40114 Skt. 1/16"	1-40161 Ext. 5"
1—40116 Skt. ½″	1-40162 Ext. 10"
1—40118 Skt. 1/16"	1-40181 Speeder
1—40120 Skt. 5/8"	1-40190 Univ. Joint
1—40122 Skt. <sup>11</sup> / <sub>16</sub> "	1-40816 Dp. Skt. ½"
1—40124 Skt. ¾"	2-40818 Dp. Skt. 1/16"
1—40126 Skt. ¹¾16″	1—40820 Dp. Skt. %"
1—40128 Skt. ¾"	1—40822 Dp. Skt. <sup>11</sup> / <sub>16</sub> "
1—40130 Skt. <sup>15</sup> / <sub>16</sub> "	2-40824 Dp. Skt. 34"
1—40132 Skt. 1"	2-40826 Dp. Skt. 13/16"
1—40134 Skt. 1½16"	2-40828 Dp. Skt. 1/8"
1—40136 Skt. 11/8"	1-41653 Flex
1—40138 Skt. 1¾16"	1-42470 Ratchet
1—40140 Skt. 1¼"	2-4826 S. P. Skt. 13/16"

Dimensions 19" x 32" High

Shipping Weight 35.0 lbs.



#### B No. 70 SPÄSAVER DISPLAY

Smart grained backing and chromeplated tubular steel legs, provides a spectacular showcase for ten popular S-K Wayne socket sets. Your customers can see at a glance the exact socket set that meets his needs best.

Qn	No.	Description
1	4915	1/4" Drive—(15 Pcs.)
1	4921	1/4" Drive—(21 Pcs.)
1	4224	1/4" and 3/8" Drive -
1		(24 Pcs.)
1	4512	3/8" Drive-(12 Pcs.)
1	4521	3/8" Drive—(21 Pcs.)
1	4525	3/8" Drive—(25 Pcs.)
1	4112	½" Drive—(12 Pcs.)
1	4116	½" Dirve—(16 Pcs.)
1	4123	½" Drive—(23 Pcs.)
1	4126	½" Drive—(26 Pcs.)

Dimensions 18" x 52" Shipping Weight 91.0 lbs.


# C No. 27 SPASAVER DISPLAY


Eye catching arrangements of economy adjustable wrenches, slip joint pliers and solid joint pliers specially selected for fast turnover. Total inventory: 35 tools.

Qn.	Part- No.	Description	Qn	Part . No.	Description
2	8104	4" Adj. Wr.	2	7500	10" Tongue-
2	8106	6" Adj. Wr.			N-Groove
2 2 2	8108	8" Adj. Wr.	2	16006	6" Diagonal
2	8110	10" Adj. Wr.			Cutter
	8112	12" Adj. Wr.	2	16077	7" Diagonal
1	8116	16" Adj. Wr.			Cutter
2	7306	6" Comb. Pl.	2	17007	7" Heavy Duty
2	7308	8" Comb. Pl.			Cutter
2	7310	10" Comb. Pl.	2	13808	8" Side
2	7365	6" Thin Nose			Cutter
		Comb. Plier	2	16606	6" Chain Nose
2	7410	10" Water Pump			Plier
		Plier	2	17807	7" Chain Nose
					Plier

Dimensions 19" x 32" High

Shipping Wt. 35.0 lbs.





# ALL DISPLAY EQUIPMENT SUPPLIED FREE WITH PURCHASE OF TOOL INVENTORY

#### D No. 10 SPASAVER DISPLAY

Total of 11 fast selling pipe tools, including pipe wrenches, chain wrenches, strap wrenches and tube cutter.

Quantity	No.	Description
1	11006	6" Heavy Duty Pipe Wrench
1	11008	8" Heavy Duty Pipe Wrench
1	11010	10" Heavy Duty Pipe Wrench
1	11014	14" Heavy Duty Pipe Wrench
1	11018	18" Heavy Duty Pipe Wrench
1	11024	24" Heavy Duty Pipe Wrench
1	11144	4" Chain Wrench
1	11146	6" Chain Wrench
1	11152	12" Strap Wrench
1	11155	18" Strap Wrench
1	. 10826	Tube Cutter


Dimensions 24" x 32" High

Shipping Weight 31.0 lbs.



Newly designed SpāSaver display shows off these heavy duty tools brilliantly. Presents 26 of the most popular 3/4 drive items plus 4 combination wrenches. Includes 26 sockets and 6 handles. Total inventory: 36 tools.

3/4″	Drive
1—47128 Skt. %"	1—47158 Skt. 1 <sup>13</sup> / <sub>16</sub> "
2—47130 Skt. <sup>15</sup> / <sub>16</sub> "	1—47160 Skt. 1 1/8"
1—47132 Skt. 1"	1—47164 Skt. 2"
2—47134 Skt. 1½16"	1—47168 Skt. 21/8"
2-47136 Skt. 11/8"	1-47172 Skt. 21/4"
1—47138 Skt. 1¾16″	1-47153 Slide T
2-47140 Skt. 11/4"	1—47155 Flex
2-47142 Skt. 1 <sup>5</sup> / <sub>16</sub> "	1—47159 Extension 3"
1—47144 Skt. 1¾″	1—47161 Extension 8"
1—47146 Skt. 11/16"	1—47162 Extension 16"
2-47148 Skt. 1½"	1-47170 Ratchet
1—47150 Skt. 19/ <sub>16</sub> "	C-42—Comb. Wrench 15/16"
1—47152 Skt. 15/8"	C-44—Comb. Wrench 1%"
1—47154 Skt. 1 <sup>11</sup> / <sub>16</sub> "	C-46—Comb. Wrench 11/16"
1—47156 Skt. 1¾″	C-48—Comb. Wrench 1½"
Dimensions 24" x 32" High	Shipping Weight 71.0 lbs.






#### F No. 16 METRIC SPASAVER DISPLAY

Sixty-one fast selling metric items, including alloy combination wrenches (individually and in sets) plus  $\frac{3}{8}$  drive sockets (individually and in complete socket sets) . . . all merchandised on one convenient display.

Qn. No.	Description	Qn. No.	Description			
2 13 1 14 1 1807	13 Pc. Skt. Set 14 Pc. Skt. Set 7 Pc. Comb. Wrench Set	2 318 2 319 2 8307 2 8308	18 mm. Skt. 19 mm. Skt. 7 mm. Comb. Wr. 8 mm. Comb. Wr.			
1 1811	11 Pc. Comb. Wrench Set	2 8309 2 8310	9 mm. Comb. Wr. 10 mm. Comb. Wr.			
2 307 2 308	7 mm. Skt. 8 mm. Skt.	2 8311 2 8312	11 mm. Comb. Hr. 12 mm. Comb. Wr.			
2 309	9 mm. Skt.	2 8313	13 mm. Comb. Wr.			
2 310 2 311	10 mm. Skt. 11 mm. Skt.	2 8314 2 8315	14 mm. Comb. Wr. 15 mm. Comb. Wr.			
2 312 2 313	12 mm. Skt. 13 mm. Skt.	2 8316	16 mm. Comb. Wr.			
2 314	14 mm. Skt.	2 8317 2 8318	17 mm. Comb. Wr. 18 mm. Comb. Wr.			
2 315 2 316	15 mm. Skt. 16 mm. Skt.	2 8319 2 8321	19 mm. Comb. Wr. 21 mm. Comb. Wr.			
2 317	17 mm. Skt.	2 8322	22 mm. Comb. Wr.			
Dimension	ons 24" x 32" High	Ship	ping Weight 31.0 lbs.			



# SPASAVER DISPLAYS



#### A S-K WAYNE SNIPS DISPLAY No. 4

Versatile Snips Display mounts on wall or stands as easel unit on counters. Features drop-forged Standard, Duck Bill and Aviation Pattern Snips with Cushion Grip handles. Total inventory: 18 tools.

Quantity	No.	Description
2	7607	7" Standard Pattern
2	7610	10" Standard Pattern
2	7612	12¾″ Standard Pattern 7″ Duck Bill Pattern
2	7707 7710	10" Duck Bill Pattern
2	7710	123/2" Duck Bill Pattern
2	7801	10" Aviation (cuts left)
2	7802	10" Aviation (cuts right)
2	7803	10" Aviation (cuts straight)

Dimensions: 25" wide x 19" high Shipping Weight 24.5 lbs.

#### B S-K WAYNE PUNCH AND CHISEL DISPLAY No. 2

Practical metal display rack holds most popular line of S-K Wayne punches and chisels. Rack hangs on wall or stands as easel unit on counters. Total inventory: 32 tools and 6 sets.

Quai	n. No.	Description	Quar	<u>n. No.</u>	Description
2 2	3403 3405	3-pc. Chisel Set 5-pc. Punch & Chisel Set	2 2 2	6914 6012 6508	Center Punch Prick Punch Cold Chisel
2	3404	4-pc. Pin Punch Set	2 2	6512 6516	Cold Chisel
2		Aligning Punch Pin Punch	2	6520 6524	Cold Chisel Cold Chisel
2 2		Pin Punch Pin Punch	2 2	6708 6808	Cape Chisel Rd. Nose Chisel
2	6106 6910	Pin Punch Center Punch	2	6612	Dia. Pt. Chisel

Dimensions: 12½" wide x 15½" high Shipping Weight 15.0 lbs.



#### C S-K WAYNE DISPLAY No. 11

Colorful self-merchandising carton contains 12 No. 4420 Spark Plug Sockets, % drive (% 6 pt.). Display stands on counter for easy access, fast sales . . . has lid that folds back to provide die-cut "billboard" for prominent display. Carton furnish FREE with purchase of 12-socket package.

Quantity	No.	Description				
12	4420	¾″ Spark Plug Skt, ¾″ (6 pt.)				
Dimension	ns: 4" x 7½	" x 23/8" Shipping Weight 3.5 lbs.				

#### D S-K WAYNE METRIC DISPLAY No. 17


This compact metal display merchandises the full line of S-K Wayne metric combination wrenches and sets. Versatile unit hangs on wall or stands on counter . . . attracts maximum attention, either way. Complete with printed tool identification numbers and pricing. Total inventory: 32 items.

Quar	ı. No.	Size*	Quar	n. No.	Size*
1	1807	7-pc. wr. set,	2	8313	13 mm.
		(7 mm.—15 mm.)	2	8314	14 mm.
1	1811	11-pc. wr. set,	2	8315	15 mm.
		(7 mm.—19 mm.)	2	8316	16 mm.
2	8307	7 mm.	2	8317	17 mm.
2	8308	8 mm.	2	8318	18 mm.
2	8309	9 mm.	2	8319	19 mm.
2	8310	10 mm.	2	8321	21 mm.
2	8311	11 mm.	2	8322	22 mm.
2	8312	12 mm.			

<sup>\*7</sup>mm thru 13mm wrenches have 6 pt. box ends. 14mm thru 22mm wrenches have 12 pt. box ends.

Dimensions: 19" wide x 24¼" high Shipping Weight 17.3 lbs.

#### ALL DISPLAY EQUIPMENT SUPPLIED FREE WITH PURCHASE OF TOOL INVENTORY





#### S-K WAYNE SPASAVER DISPLAY NO 1:

Here's the best tool-merchandising idea that's come along in years! 437 of our fastest-selling sets and items . . . all dramatically displayed on one traffic-stopping unit. It's a real show-and-sell merchandiser that makes your outlet the place to go for hand tools.

Handsome walk-around unit is just 6' long, 2' wide at the base. Tools and sets are displayed on both sides . . . with no waste space whatever. Colorful header panel attracts attention for impulse buying. Pricing circles and printed identification numbers keep everything perfectly organized, easy to inventory.

Sturdy construction. Masonite display panels, in handsome green-grained finish, are securely mounted on sturdy metal frame. Mounted on easy-gliding casters.

Dimensions 6' long x 2' wide (at base) Shipped prepaid

#### TOOL INVENTORY: DISPLAY NO. 1

A 10 SOCKET SETS

Entire content of S-K Wayne Display No. 70 (see page 44).

B 8 ALLOY WRENCH SETS
Entire content of S-K Wayne Display No. 8 (see page 43).
plus Set No. 1713 (see page 16).

© 61 METRIC WRENCHES AND SETS

Entire content of S-K Wayne Display No. 16 (see page 45).

D 92 INDIVIDUAL SOCKETS AND HANDLES Entire content of S-K Wayne Display No. 87 (see page 42).

E 36 INDIVIDUAL HEAVY DUTY ITEMS

Entire content of S-K Wayne Display No. 30 (see page 45).

F 48 POLISHED ADJUSTABLE WRENCHES AND PLIERS Entire content of S-K Wayne Display No. 26 (see page 42).

**G** 67 INDIVIDUAL ALLOY WRENCHES Entire content of S-K Wayne Display No. 36 (see page 43).


H 74 PUNCH, CHISEL AND SCREWDRIVER ITEMS Entire content of S-K Wayne Display No. 33 (see page 43).

Special assortment includes the following items:

(	Qn.	No.	Description	Qn	. No.	Description
•	1	11018	18" Pipe Wrench	1	11006	6" Pipe Wrench
			14" Pipe Wrench			18" Strap Wrench
	1	11010	10" Pipe Wrench	1	11152	12" Strap Wrench
			8" Pipe Wrench	1	10826	Tube Cutter

K 33 ECONOMY PLIERS AND ADJUSTABLE WRENCHES Special assortment includes the following Items:


Qn.	No.	Description	Qn.	No.	Description
2	8104	4" Adj. Wr.	2	7410	10" Water Pump
2	8106	6" Adj. Wr.			Plier
2	8108	8" Adj. Wr.	2	7500	10" Tongue-N-
2	8110	10" Adj. Wr.			Groove
2	8112	12" Adj. Wr.	2	16606	6" Chain Nose Pl.
1	8116	16‴ Adj. Wr.	2	17807	7" Chain Nose Pl.
2	7306	6" Comb. Plier	2	13808	8" Side Cutter
2	7308	8" Comb. Plier	2	16006	6" Diagonal Cutter
2	7365	6" Thin Nose	2	16077	7" Diagonal Cutter
		Comb. Plier	2	17007	7" Diagonal Cutter



# AIR COMPRESSORS

NOTE: Air compressors, hose reels and hand pumps are available through another subsidiary of Symington Wayne Corporation. Please direct your inquiries to: Wayne Industrial Division, Symington Wayne Corporation, Fort Wayne, Indiana 46803.





MODEL 6158-SV

HIGH PRESSURE, TWO-STAGE COMPRESSORS; 1, 1½, 2, 3, 5, 7½, 10, 15




MODEL 376SH

LOW PRESSURE, TWO-STAGE COMPRESSORS; 1½ through 10 H.P.



MODEL 67520-SH



#### WAYNE LO-OIL SENTINEL

Wayne's new Lo-Oil Sentinel is standard equipment, at no extra cost on all Wayne 1-10 hp, 2-stage air compressors. Lo-Oil Sentinel stops compressor when oil falls below safe level. Risk of compressor "burnouts" and expensive repairs is avoided. Does not require air or oil pressure for activation—can be used for both start-stop and continuous operation.

Operation of Lo-Oil Sentinel is simple. When oil is at proper level in float bowl (1) visible on sight gage (2) float stem (3) keeps a Microswitch (4) closed. As oil level goes down, float stem drops. At low position, Microswitch lever (5) passes over top of float stem, opening circuit and shutting off compressor. Unlike other lo-oil devices, Wayne Lo-Oil Sentinel prevents starting of compressor until adequate supply of oil is added. Simply pushing reset button closes circuit and allows float stem to rise.

#### ELECTRIC MOTOR DRIVEN

Model							Stroke	ASME	Dimensions		s Approx		prox.				
(see foot- note)	Motor H.P.	No. Cyls.	Disp. C.F.M.	Comp. R.P.M.	Press. P.S.I.	Low Cyl.	High Cyl.	Tank Gal.		L		W	Т	Н	Shipping Weight		
353 356 358 3512	1	2	5.1	355	175	31/4 x3	1¾ x3	30 60 80 120	40 54 71 74	20½ 31½ 34 35½	17 24 24 25½	17 24½ 27 31½	34 43½ 43½ 46½	55½ 72 69 73½	350 475 577 775	360 494 614 750	
373 376 378 3712	11/2	2	7.5	530	175	3¼ x3	1¾ x3	30 60 80 120	40 54 71 74	20½ 31½ 34 35½	17 24 24 25½	17 24½ 27 31½	34 43½ 43½ 46½	55½ 72 69 73½	350 500 602 780	360 525 647 755	
3103 3106 3108 31012	2	2	10.0	700	175	31/4 x3	1¾ x3	30 60 80 120	40 54 71 74	20¼ 31½ 34 35½	17 24 24 25½	17 24½ 27 31½	34 50½ 50½ 53½	55½ 79 76 80½	350 525 600 785	360 560 655 760	
6156 6158 61512 X61512-SH	3	2	15.0 30.0	490	175	4¾ x3	2½ x3	60 80 120 120	55½ 71½ 74 73	34 36 38	24 23 26 38	26½ 26½ 32½	50½ 51 54 57	80 77 81½	540 605 800 1315	615 650 775	
6223-H 6226 6228-H 62212 X62212-SH X62220-SH	5 5 5	2	22.4 44.8 44.8	725	175	4¾ x3	21/2 x3	30 60 80 120 120 200	40 55½ 71½ 74 73 77	34 36 38	17 23 23 26 38 38	26½ 26½ 32½	36 51 51 54 57 63	80 77½ 81½	380 540 640 810 1385 1630	615 660 790	
6378-H 63712 63720-H X63720-SH	71/2	4	37.2 74.4	605	175	41/4 x3	2½ x3	80 120 200 200	63	49	27 28½ 32 57½	311/2	51 56½ 63 61½	80	1122 1211 1755 2290	1236	
6468-H 64612 64620-H X64620-SH	10	4	46.2 92.8	750	175	4¾ x3	2½ x3	80 120 200 200	63	49	27 28½ 32 57½	311/2	51 56½ 63 61½	80	1170 1330 1775 2370	1355	
67512-SH 67520-SH X67520-SH 67524-SH	15	4	75.0 75.0 150.0 75.0	880	175	4¾ x4	2½x4	120 200 200 240	73 78½ 78½ 78½ 92		25½ 31½ 57½ 31½ 31½		62 68 68 68		1312 1498 2462 1578		
393 · L 396 · L 398 · L 3912 · L	11/2	2	9.5	645	100	3¼ x3	1¾ x3	30 60 80 120	54 71	20½ 31½ 34 35½	17 24 24 25½	17 24½ 27 31½	34 43½ 43½ 46½	55½ 72 69 73½	350 500 602 780	360 525 647 755	
3113-L 3116-L 3118-L 31112-L	2	2	11.2	780	100	3¼ x3	1¾ x3	30 60 80 120	40 54 71	20½ 31½ 34 35½	17 24 24 25½	17 24½ 27 31½	34 43½ 43½ 46½	55½ 72 69 73½	350 500 602 780	360 525 647 755	
6186-L 6188-L 61812-L X61812-SH	3	2	18.0 36.0	586	100	4¾ x3	2½ x3	60 80 120 120	711/2	34 36 38	24 23 26 38	26½ 26½ 32½	50½ 51 54 57	80 77 81½	540 605 800 1315	615 650 775	
6243-HL 6246-L 6248-L r 62412-L X62412-SH X62420-SH	5 5 5	2	23.6 47.2 47.2	770	100	4¾ x3	2½ x3	30 60 80 120 120 200	711/2	34 36 38	17 23 23 26 38 38	26½ 26½ 32½	36 51 51 59 57 63	80 77½ 81½	380 540 640 810 1385 1630	615 660 790	
6418-HL 64112-L 64120-HL X64120-SH	7½ 7½	4	40.3 80.6	655	100	4¾ x3	2½ x3	80 120 200 200	63 66 72 77¾	49	27 28½ 32 57½	31½	51 56½ 63 61½	80	1122 1211 1755 2290	1236	
6498-HL 64912-L 64920-HL X64920-SH	10	4	48.2 96.4	785	100	4¾ x3	2½ x3	80 120 200 200	63 66 72 77¾	49	27 28½ 32 57½	311/2	51 56½ 63 61½	80	1170 1330 1775 2370	1355	

# **HOSE REELS**

# WAYNE HOSE REELS







MODEL 340

MODEL 350

MODEL 344

#### **ENCLOSED MODELS**

Model	Type	Hose Length	1.D.	Approx. Shpg. Wt.
340	T/001	12	1/4"	23
340	T/Spec	Less Hose		21
343	T/001	25	1/4"	47
343	T/002	25	3/8"	48
343	T/Spec	15	1/2"	51
343	T/Spec	Less Hose		42
344	T/001	35	3/8"	56
350	T/003	50	1/4"	98
350	T/001	50	3/8"	102
350	T/002	50	1/2"	107
350	T/Spec	Less Hose		93







MODEL 343



MODEL 351

#### **OPEN MODELS**

Model	Туре	Hose Length	1.D.	Shpg. Wt.
345	T/001	25	1/4"	46
345	T/002	25	3/8"	47
345	T/Spec	15	1/2"	50
345	T/012	20	1/4"	48
345	T/Spec	Less Hose		41
351	T/003	50	1/4"	79
351	T/001	50	3/8"	81
351	T/002	50	1/2"	84
351	T/Spec	Less Hose		72

# HAND PUMPS





#### MODEL 210

Complete Hand Pump with handle, bleeder valve and bung type swivel base; ready for immediate use. Designed for use with easily - installed accessories — including gallons counter and 8 or 12 gallon flow meter. Threaded swivel bung adapter on pump fits 2 inch barrel bung.

#### MODEL 210B


Complete Hand Pump with standard hose assembly, plain nozzle and swivel type bung adapter that fits 2 inch threads, standard 39 inch long fixed suction pipe.

#### MODEL 210A

Complete Hand Pump with standard discharge spout, swivel type bung adapter for 2 inch threads and 39 inch long fixed suction pipe.

#### MODEL 210C

Complete Hand Pump with standard hose and nozzle, telescoping suction pipe with "notched" lower end. Wayne design includes 2 inch thread swivel base bung adapter for use with many barrel types.









#### S-K WAYNE TOOL COMPANY

Order Department: 3535 West 47th Street • Chicago, Illinois 60632
Return Goods Department: 3535 West 47th Street • Chicago, Illinois 60632
Sales Office: 332 South Michigan Avenue • Chicago, Illinois 60604
Subsidiary of Symington Wayne Corporation

